

Netti 4U CE Plus

1.215



Allowed user weight

135 kg



Suitable for passenger transport


Tested according to ISO 7176-19 (max. user weight 135 kg)

*Ab Personengröße 185 cm nur i.V. mit


*Alu-Kopfstützenadapter, Rückenhöhe 600 mm und

*vertikaler Kopfstützenstange 500 mm






Seat width kit (expansion / reduction)



Libertas back gas spring and handles



Adjustable velcro back



Netti Stabil

Inspire joy of life

EFFICIENCY

- The Netti 4U CE Plus combines economy and individuality at the highest level
- Economic advantages due to spare parts compatibility with other Netti chairs
- Long life
- 5 years warranty on the frame

THERAPEUTIC BENEFIT

- Flexible seat depth
- Back and seat tilt infinitely adjustable
- The Netti 4U CE Plus is characterized by light weight and small overall width
- Large selection of different back cushions
- One-hand-operated armrest

FIELD OF USE

- Due to the seat width flexibility, the Netti 4U CE Plus is particularly suitable as a chair in the fall package. 5 seat widths with a frame that reduces your storage costs and increases customer flexibility
- It is suitable for both young and geriatric users
- In the CES Plus edition, a seat depth adjustment of 375 - 450 mm is even possible

ORDER

COST ESTIMATE

CUSTOM DESIGN

Please fax the completed order form to:

0800 888 4568

Customer service 0800 888 4560

Billing address / Customer ref. no.:

Delivery address:

Tax-ID

Consignment / Comments:

Order quantity:

Car transport seat:



Basic equipment

- Seat depth 500 mm
- Head support A, with side support
- Push handles 300 mm
- Anti tip - swingable
- User brakes, brake handle can be folded forward
- Back cushion Netti Uno with Easy Care cover

- Seat cushion Netti Uno with Easy Care cover
- Manually angle adjustable leg supports
- Removable arm rests, height and depth adjustable
- Arm pads 385 x 58 mm
- Main wheels 24 x 1" PU, galvanized with quick release
- Front wheels 7" - 175 x 33 PU



Allowed user weight

135 kg



Suitable for passenger transport

Tested according to ISO 7176-19 (max. user weight 135 kg)

*Ab Personengröße 185 cm nur i.V. mit

*Alu-Kopfstützenadapter, Rückenhöhe 600 mm und

*vertikaler Kopfstützenstange 500 mm



Hints

Our Terms and Conditions as stated at www.meyra.de/AGB shall apply

You can find information on the measurement process at www.meyra.de/messverfahren

When transported in public transport (e.g. train), the dimensions of the wheelchair may be higher than the guide values of the transport company. Please inquire in advance.

Use our K.I.S.S.S. for orders and configurations at www.kisss-by-meyra.de

You avoid queries and incorrect orders thanks to the buildability check

Valid from 01.01.2024 - 31.12.2024.

Errors, misprints and changes reserved.



Technical specifications

Seat widths in mm	350 / 400 / 450 / 500
Optional seat width flexibility in mm	2 x -20 / 2 x +10/20
Seat depth in mm	short frame 375/400/425/450 - standard frame 425/450/475/500
Back support height in mm	500 - 600
Seat heights measured up to the seat plate in mm	465/500 (24") 440/475 (22")
Max. User weight	135 kg
Max. User weight for Car transport	135 kg
Seat angle	-5° - +20°
Back angle	90° - 135°
Additional width to SW with standard wheels in mm	+180 (std. 24" / 22") +195 ((DB 24" / 22") +170 ((DB 12" / 16")
length manual adjustable leg rests	320 - 680
Distance arm support to seatplate	270 - 360
Overall height in mm	1050
Length with leg supports in mm	1020
Frame colour	silver

☐ Please select by ticking the relevant boxes☒ Special construction/individual solution o.r. - on request☐ Standard version: If no other selection is made, the standard version will be delivered.**01 Seat width/Seat depth**

Seat depth (mm) standard frame (24" + 7" wheels)					Seat depth (mm) short frame (22" + 6" wheels) D64000			
Seat width (SW)	425 / D28002	450 / D28002	475 / D28002	500	375 / D28002	400 / D28002	425 / D28002	450
350 mm D64035					S	S	S	S
400 mm D64040					S	S	S	S
450 mm D64045					S	S	S	S
500 mm D64050					S	S	S	S

! short frame with 22" drive wheels and caster wheels 6 "
standard frame with 24" drive wheels and caster wheels 7 "
Seat depths can be adjusted later
Standard frame possible seat depths 425/450/475/500 mm
Short frame possible seat depths 375/400/425/450 mm

Seat width Options

CODE	DESCRIPTION	Netti
7090	Side upholstery for armrest ! reduces SW with 2 x 20 mm	D22154
7091	Seat width extension kit ! extends SW with 20 or 40 mm	D80913

02 Wheels

short frame drive wheel		Standard frame drive wheel		
Castor	22x1" PP	22x1" PP	24x1" PP	24" Loopwheels
6" 150x27 PU				
7" 175x33 PU				
7" 175x45 PU Foam				

☐ Please select by ticking the relevant boxes☒ Special construction/individual solution o.r. - on request

Standard version: If no other selection is made, the standard version will be delivered.

03 Wheels options

CODE	DESCRIPTION	Ø	Netti
7148	☒ One hand drive left  Cannot be combined with drum brakes	24"	D20834
7149	One hand drive right  Cannot be combined with drum brakes	24"	D20836
7150	☒ One hand drive left  not i.V. with drum brake with 7" steering wheels only SH 465 mm possible	22"	D20837
7151	☒ One hand drive right  not i.V. with drum brake with 7" steering wheels only SH 465 mm possible	22"	D20838
7142	Mounting package for drive wheels incl. drumbrakes  The assembly package is enclosed and is intended for assembly by the specialist dealer	12 ½"	M70315
7143	Mounting package for drive wheels incl. drumbrakes  The assembly package is enclosed and is intended for assembly by the specialist dealer	16"	M70316
7144	Hand- and spoke protector, pair  Cannot be combined with one hand drive Cannot be combined with Loopwheels		D22009
7145	☒ Push rim cover, pair  Toggle brakes without function when mounting 12" and 16" drive wheels		D22013

04 Brake

CODE	DESCRIPTION	Netti
305	Knee lever brake	
706	Drum brake for companion incl. quick release axle, knee lever brake  Drum brakes are already included when selecting assembly package 12" or 16" drive wheels	D64085
986	Brake lever extension + 70 mm - length 200 mm  to be mounted by dealer	D86099

05 Cover

CODE	DESCRIPTION	Netti
7070	Easy Care cover	
7071	3D cover	D21122

☐ Please select by ticking the relevant boxes☒ Special construction/individual solution o.r. - on request☐ Standard version: If no other selection is made, the standard version will be delivered.**06 Head supports**

Horizontal headrest tube (mm)

Meyra/Netti	Headrest	150	250	380
7040 / Standard	Netti A with side support		☒	☒
7044 / D82567	Netti A with side support and head band	☒	☒	☒
7041 / D26574	Netti B oval		☒	☒
7042 / D26573	Netti C square		☒	☒
7043 / D26576	Netti D comfort (pressure distributive)	☒	☒	☒
7045 / D27577	Netti E with adjustable side supports	☒	☒	☒
7048 / D27578	Netti F with cheek support	☒	☒	☒
7049 / D45370	Savant incl. headband, small, height 130 mm	☒	☒	
7050 / D45371	Savant incl. headband, adult, height 150 mm	☒	☒	

 All headrests incl. a standard vertical rod length 350 mm
Savant headrests not approved for car transport

Headrest Options (Netti / Savant)

CODE	DESCRIPTION	Netti
7030	Headrest adjustment tube (vertical), length 350 mm	
7031 ☒	Headrest adjustment tube (vertical) + 100 mm, length 500 mm	D21054
7032	Headrest adapter aluminium	D82025

Headrest Options (Netti)

CODE	DESCRIPTION	Netti
7055	Easycare headrest cover removable/washable  only i.C. with Headrest A, B or C	D23012
7056	3D headrest cover removable / washable  only i.C. with Headrest A, B or C	D23013
7053 ☒	Extra comfort pads for the head band of head support A, pair	D82568
7054 ☒	Comfort cushion - removable with Mars cover  only i.C. with Headrest C	D23004
7057 ☒	Grey head rest cushion with Mars cover	D23015

☐

Please select by ticking the relevant boxes

☐

Standard version:

☒

Special construction/individual solution o.r. - on request

If no other selection is made, the standard version will be delivered.

D89558



only i.C. with Netti headrest
not approved for car transport

D89559



only i.C. with Netti headrest
not approved for car transport

S Headrest Options (Savant)

CODE	DESCRIPTION	Netti
7052	Side pads for Savant head support For extra lateral support For the upper arms of the head support  Cannot be combined with the headband only i.C. with Savant Headrest	D45373
7025	Axion head support rotary interface, permits a lateral rotation of 60°  only i.C. with Savant headrest not approved for car transport	D45368
7026	Axion head support rotary interface, permits a lateral rotation of 90°  only i.C. with Savant headrest not approved for car transport	D45376

☐ Please select by ticking the relevant boxes☒ Special construction/individual solution o.r. - on request☐ Standard version: If no other selection is made, the standard version will be delivered.**07 Back unit**

Code	Cushion type	Back height	
		Frame height 500mm	RH 600 mm / D41006
7201 / Standard	Back cushion Netti Uno (with 100 mm side support)		
7209 / D21338	Back cushion Netti Smart (with 120 mm side support)	☒	☒
7207 / D21335	Back cushion Netti Stabil (with 170 mm side support)	☒	☒
7210 / D21336	Back cushion Netti Super Stabil (with 170 mm reinforced side support)	☒	☒
7205 / D20630	Back cushion Netti Kyphotic	☒	

 Netti Uno/Smart/Stabil/Super Stabil with Easy Care cover or 3D
Netti Kyphotic only with 3D/Mars cover and in combination with fitting backs

Adjustable back

CODE	DESCRIPTION	Netti
7116 ☒	Adjustable velcro back  mounting through local dealer	D21137
7117	Adjustable velcro with cut for side supports  mounting through local dealer	D21138

☐ Please select by ticking the relevant boxes☒ Special construction/individual solution o.r. - on request☐ Standard version: If no other selection is made, the standard version will be delivered.**Back unit options**

CODE	DESCRIPTION	Netti
7119	Side support Basic, pair	D86145
7110	Side support correction with upholstery right	D27375
7111	Side support correction with upholstery left	D27374
7114	☒ Side support Stable right  only in combination with Netti Stabil, Netti Super Stabil or Netti Kyphotic	D26844
7113	☒ Side support Stable left  only in combination with Netti Stabil, Netti Super Stabil or Netti Kyphotic	D26831
7115	☒ Side support upholstery Stable, pair	D27541
7182	☒ Libertas: 15° back flexibility 80N incl. long anti tips and frame  not approved for car transport	D82411
7183	☒ Libertas: 15° back flexibility 120N incl. long anti tips and frame  not approved for car transport	D82412
7184	☒ Libertas: 15° back mobility 160N inkl. frameverl. and verl. Anti-tilt supports  not approved for car transport	D82413

08 Ride System Back

Please specify the CODE from the RIDE order sheet:

☐ Please select by ticking the relevant boxes☒ Special construction/individual solution o.r. - on request☐ Standard version: If no other selection is made, the standard version will be delivered.**09 Frame options**

CODE	DESCRIPTION	Netti
7127	Anti tip - swingable	
7128	Anti tip with pedal, pair	D28972
7092	☒ Tilt restrictor ☒ no negative tilt forward	D29474
7146	Frame extension including longer antitippers	D28001
7273	Car fastener system, pair	D41074
7124	Push handles 300 mm	
7126	☒ Push bow, height and angle adjustable	D81740

10 Seat unit

CODE	DESCRIPTION	Netti
7206	Seat cushion Netti Uno ☒ Cover Easy Care or 3D	
7203	☒ Pressure relief seat cushion Netti Sit ☒ Cover Easy Care or 3D	D21777
7208	☒ Pressure relief seat cushion Netti Sit °C with temperature regulating features and incontinence layer under the 3D cover	D21017

Seat options

CODE	DESCRIPTION	Netti
7190	☒ Abduction block small (W: 80 mm x L: 140 mm x H: 80 mm)	D27493
7191	Abduction block medium (W: 110 mm x L: 150 mm x H: 80 mm)	D27494
7192	☒ Abduction block large (W: 140 mm x L: 170 mm x H: 80 mm)	D27495
7204	Incontinence cover for seat cushion ☒ not in conjunction with Ride Java cushion or Ride Forward	D21048

11 Ride System Seat

Please specify the CODE from the RIDE order sheet:

☐ Please select by ticking the relevant boxes☒ Special construction/individual solution o.r. - on request☐ Standard version: If no other selection is made, the standard version will be delivered.**12 Leg supports**

CODE	LLL (mm)	DESCRIPTION	Netti
91	320-680 mm	Manually angle adjustable leg supports automatic length adjustment angle adjustable foot plates	
7081	☒ 360-500 mm	Universal leg supports with knee angle adjustment, adjustable below 90° for contract leg situations with seat unit tilted when chair is pushed	D24005

Leg support options

CODE	DESCRIPTION	Netti
7080	Leg support upper parts with lever instead of star wheel for angle adjustment  only i.C. with manually angle adjustable leg supports	D88211
7102	☒ Foot plate upholstery - pair- skai cover  not in conjunction with universal leg support	D28453
7082	☒ Depth-adjustable hinge for footplates (50 mm total)  pre-assembled only i.C. with manually angle adjustable leg supports	D80087
7100	☒ Calf support bracket upholstery - pair - skai cover  only i.C. with manually angle adjustable leg supports	D21745
7101	☒ Calf support upholstery extra soft - pair  depending on the fabric for the whole chair only i.C. with manually angle adjustable leg supports	D41617

☐ Please select by ticking the relevant boxes

S

 Special construction/individual solution o.r. - on request

☐ Standard version: If no other selection is made, the standard version will be delivered.

S

Bodypointankle strap und calf straps

CODE	DESCRIPTION	SIZE	ADJUSTABLE	Netti
7226	Bodypoint ankle huggers with upholstery	S	170-200 mm	D44863
7227	Bodypoint ankle huggers with upholstery	M	190-230 mm	D44864
7228	Bodypoint ankle huggers with upholstery	L	220-290 mm	D44865
7233	Bodypoint ankle huggers with upholstery	XL	280-330 mm	D44904
7234	Bodypoint Calf strap	M	410 mm	D86900
7235	Bodypoint Calf strap	L	450 mm	D86901

13

Arm supports

Arm supports			
Meyra / Netti	height and depth adjustable	upholstery standard	upholstery extra soft
Standard	385 x 58 mm		S
7062 / D21077	420 x 80 mm	S	S

!

 *Polster extraweich nicht i.V. mit Therapietisch (verstärkt)

S

Arm support options

CODE	DESCRIPTION	Netti
7063	Hemiplegic cushion	D23003
7064	Arm support hemiplegic, left ! not to be combined with a tray	D22185
7065	Arm support hemiplegic, right ! not to be combined with a tray	D22186
7066	Lock for arm support (mounting through local dealer)	D23001

☐ Please select by ticking the relevant boxes☒ Special construction/individual solution o.r. - on request☐ Standard version: If no other selection is made, the standard version will be delivered.**14** **S** **Therapy tables**

CODE	DESCRIPTION	Netti
7243	Tray, standard	D25059
7240	Tray reinforced	D21050
7241	Tray swingable	D24001
7242	Tray lockable	D24002
7231	Padding for tray	D21052
7246	Spacer for therapy table, lockable  only in conjunction with extra soft pads for standard arm pads code 7060	D93315
7247	Spacer for therapy table, can be swung away  only in conjunction with extra soft pads for standard arm pads code 7060	D93316

15 **Various Accessories**

CODE	DESCRIPTION	Netti
7272	☒ Tool kit	D21239
7271	Intravenous rack	D41987

☐ Please select by ticking the relevant boxes☒ Special construction/individual solution o.r. - on request☐ Standard version: If no other selection is made, the standard version will be delivered.**16 Belts and accessories for seat unit**

CODE	DESCRIPTION	Netti
7314	☒ Belt bracket kit - seat	D86282
7300	Hip belt, with upholstery and car belt lock	D20845
7237	☒ Abduction belt (SW 350-600 mm)	D60001
7215	☒ Security cover  for Bodypoint 2-point pelvic stabiliser Evoflex, Bodypoint 2-point hip belt and Bodypoint 4-point pelvic stabiliser	D45040
☒	Bodypoint 2-point pelvic stabiliser Evoflex incl. mounting kit	
7216	XS / overall pad length 380 mm	D86902
7217	M / overall pad length 460 mm	D86891
7301	L / overall pad length 620 mm	D86892
☒	Bodypoint 2-point hip belt incl. mounting kit	
7302	XS / overall pad length 360 mm	D45273
7303	S / overall pad length 400 mm	D45274
7304	M / overall pad length 460 mm	D45275
☒	Bodypoint 4-point pelvic stabiliser incl. mounting kit	
7305	XS / overall pad length 360 mm	D86889
7306	M / overall pad length 460 mm	D86893
7307	L / overall pad length 620 mm	D86894
☒	Bodypoint supportive universal elastic strap	
7218	S / height 80 mm / long 1420 mm	D45084
7308	L / height 110 mm / long 1420 mm	D45085
7309	XL / height 150 mm / long 1420 mm  the length of the Bodypoint universal straps can be shortened	D45086

☐ Please select by ticking the relevant boxes☒ Special construction/individual solution o.r. - on request☐ Standard version: If no other selection is made, the standard version will be delivered.**17 Belts and accessories for back unit**

CODE	DESCRIPTION	Netti
7310	☒ H-harness adaptor kit ☒ recommended for all upper body harnesses	D86890
589	☒ H-belt, with upholstery and car belt lock	D20881
7311	☒ Belt cross harness	D41645
	☒ Bodypoint Stayflex chest support without zipper	
7219	XS / Shoulder width 240 - 280 mm	D89805
7220	S / Shoulder width 280 - 330 mm	D89898
7221	M / Shoulder width 330 - 410 mm	D86895
7312	L / Shoulder width 410 - 480 mm	D86896
	☒ Bodypoint Pivofit shoulder harness	
7223	XS / Shoulder width 240 - 280 mm	D89802
7224	S / Shoulder width 280 - 330 mm	D89803
7225	M / Shoulder width 330 - 410 mm	D86898
7313	L / Shoulder width 410 - 480 mm	D86899

18 Decon drive systems

For the Decon drive systems, please use the Decon E-Drive and Decon E-Move order forms

☒ For Netti 4U chairs set in seat depth 500mm, a wheelbase extension is required
The installation of wide caster wheels (min. 45 mm) is required
In case of combination with seat width extension, please contact the indoor service department

☐ Please select by ticking the relevant boxes☒ Special construction/individual solution o.r. - on request☐ Standard version: If no other selection is made, the standard version will be delivered.**19 S *Sonderbau**

CODE	DESCRIPTION	Netti
7046	Headrest E with shorter side support right	D27581
7047	Headrest E with shorter side support left	D27582
7948	*Aluminium-Fußbrett für Standard-Beinstützen  *Nur i.V. mit Code 91 oder 7081	IS-002-05
7951	*Rückenkissen NETTI STABIL	IS-006-10
7952	*Universal Tragekorb	D80080
	*Rückenhöhe abweichend vom Standard	

USER DATA

First name

Name

Street

ZIP CODE

City

Country

Birthday

Diagnosis 1

Diagnosis 2

Tel.

Mobil

E-mail

Order number

Health insurance fund / cost unit

Specialist trade Contact person/phone.

Supply specialist MEYRA

Approval info from week

ANATOMICAL DATA (IN MM)

1) Seat depth

2) Seat width

3) Chest width

4) Chest depth

5) Elbow height

6) Armpit height

7) Back height


8) Head height

9) Forearm length

10) LLL

Body height

Weight (kg)



Remarks

I accept the Terms and Conditions of Meyra Distribution GmbH (valid as of January 2023)

<https://www.meyra.com/gtc/>

Date

City

Signature