

HURRICANE DAILY

1.880



Allowed user weight

100 kg *HURRICANE S

160 kg *HURRICANE DAILY



**Ein Präzisionsgerät für den Alltag*

EFFICIENCY

- *Sehr langlebig und enorm stabil durch den komplett verschweißten Rahmen mit enormer Materialfestigkeit
- *Optimales Verhältnis von Festigkeit zu Gewicht

THERAPEUTIC BENEFIT

- *Als Festmaßrollstuhl mit offenem oder geschlossenem Rahmen exakteste Anpassung an die individuellen Körpermaße und Bedürfnisse des Benutzers
- *Hohe Gewichtseinsparung durch Verschweißung von Sitzhöhe, Rücken- und Sitzwinkel
- *Das Fahrwerk selbst kann ebenso exakt abgestimmt werden und gibt damit größtmögliche Mobilität für perfektes Fahrverhalten
- *Die Kombination aus Gewichtseinsparnis und höchster Festigkeit, sowie die maßgenaue Anpassung für eine optimale Sitzposition und beste Fahreigenschaften unterstützen die rehabilitativen Ziele im Alltag und bei sportlichen Aktivitäten

FIELD OF USE

- Active wheelchair for users with high demands on weight and driving characteristics
- *Für den aktiven Rollstuhlfahrer im Alltag

ORDER

COST ESTIMATE

CUSTOM DESIGN

Please send the order form by e-mail to:

info@meyragroup.com

Customer service: +49 571 93292 555

Billing address / Customer ref. no.:

Delivery address:

Tax-ID

Consignment / Comments:

Order quantity:

MEYRA



Price basic model

3.893,00 €

(*ohne Seitenteile, ohne Beinstützen)



Allowed user weight

100 kg *HURRICANE S

160 kg *HURRICANE DAILY



Hints

Our Terms and Conditions as stated at www.meyra.de/AGB shall apply

You can find information on the measurement process at www.meyra.de/messverfahren

Valid from 01.01.2025 – 31.12.2025.

Errors, misprints and changes reserved.

Use our K.I.S.S.S. for orders and configurations at www.kisss-by-meyra.de

You avoid queries and incorrect orders thanks to the buildability check

When transported in public transport (e.g. train), the dimensions of the wheelchair may be higher than the guide values of the transport company. Please inquire in advance.



Technical specifications


Version	*HURRICANE S	*HURRICANE DAILY
Empty weight from	8 kg	8.5 kg
Max. User weight in kg	100 kg	160 kg
Permitted total weight in kg	*115 kg	*175 kg

☐ Please select by ticking the relevant boxes

☒ Special construction/individual solution o.r. - on request

Standard version: If no other selection is made, the standard version will be delivered.

00 *Rollstuhlmaß bestimmen



*KÜRZEL	TYPE	*WERT
B	Axle position *Waagerecht Mitte Antriebsrad bis Hinterkante Rückenrohr in Höhe des Sitzrohres	*mm
FL	*Rahmenlänge *Waagerecht Vorderkante Beinstützenrohr bis Hinterkante Rückenrohr in Höhe des Sitzrohres	*mm
SW	Seat width (SW) *Von Sitzrohraußenkante zu Sitzrohraußenkante	*mm
*ST	Seat depth (SD) *Vorderkante Rückenrohr bis vorderster Punkt der Sitzfläche	*mm
RSH	*Hintere Sitzhöhe *Von Fahrbahnebene bis Sitzrohroberkante hinten	*mm
FSH	*Vordere Sitzhöhe *Von Fahrbahnebene bis Sitzrohroberkante vorne	*mm
*MSH	*Mittlere Sitzhöhe (nur i.V. mit ergo. Sitzwinkel Code 600)	*mm
C	*Sitzposition (nur i.V. mit ergo. Sitzwinkel Code 600)	*mm
	*Rahmeneinzug pro Seite	*mm
*ASF	*Abstand vordere Sitzhöhe zu Fußplatte *Senkrecht Sitzrohroberkante bis Oberkante Fußplatte	*mm
BH	Back height	*mm
*RW	Back support angle *Ohne Angabe 90° Standard senkrecht zum Boden +/- Angabe berücksichtigen	*Grad

☐ Please select by ticking the relevant boxes☒ S Special construction/individual solution o.r. - on request☐ Standard version: If no other selection is made, the standard version will be delivered.**01 Frame forms: (Frame length)**

CODE		EUR €
348	*Alltagsvariante Spezial-Aktivrollstuhl im Sonderbau, inkl. 25 mm Rahmeneinzug pro Seite ⚠ *bis 160 kg Nutzergewicht	454,00
347	*Alltagsvariante Spezial-Aktivrollstuhl im Sonderbau mit offenem S-Rahmen, inkl. 25 mm Rahmeneinzug pro Seite ⚠ *bis 100 kg Nutzergewicht	454,00

***Abweichender Rahmeneinzug**

CODE	DESCRIPTION	*WERT	EUR €
4950	*Rahmeneinzug nach Angabe	*mm	193,00

***Anprobe**

CODE	DESCRIPTION	EUR €
3918	*Ohne Anprobe	0,00
3920	*Anprobe bei MEYRA oder auf Sportveranstaltung ⚠ *je nach Aufwand sind nachträgliche Änderungen kostenpflichtig*, verlängerte Lieferzeit	208,00
3921	*Anprobe beim Fachhandel ⚠ *je nach Aufwand sind nachträgliche Änderungen kostenpflichtig, verlängerte Lieferzeit	420,00

02 Castors

CODE	DESCRIPTION	RIM	TYRES	Ø X W	EUR €
151/908	*Lenkrad (Paar)	Plastic	Solid rubber, black	100 x 23 mm	0,00
151/909	*Lenkrad (Paar)	Plastic	*Vollgummi, grau	100 x 23 mm	0,00
325/908	*Lenkrad (Paar)	Plastic	Solid rubber, black	125 x 30 mm	0,00
325/909	*Lenkrad (Paar)	Plastic	*Vollgummi, grau	125 x 30 mm	0,00
327/908	*Lenkrad (Paar)	Plastic	*Soft-Vollgummi, schwarz	*142 x 37 mm	0,00
327/909	*Lenkrad (Paar)	Plastic	*Soft-Vollgummi, grau	*142 x 37 mm	0,00
143	*Lenkrad (Paar)	Plastic	*Pannensicher	*150 x 32 mm	0,00

☐ Please select by ticking the relevant boxes

S

 Special construction/individual solution o.r. - on request

☐ Standard version: If no other selection is made, the standard version will be delivered.

Castors

CODE	DESCRIPTION	RIM	TYRES	Ø X W	EUR €
2480	Lightwheel (pair)	Plastic black	Solid rubber, transparent/colourless	100 x 23 mm	125,00
2481	Swivel castor (pair)	Aluminium silver	Solid rubber, black	100 x 32 mm	210,00
2482	Swivel castor (pair)	Aluminium silver	Solid rubber, black	125 x 32 mm	210,00
2483	Swivel castor	Aluminium silver	Solid rubber, black	100 x 37 mm	135,00
2484	Swivel castor	Aluminum black	Solid rubber, black	100 x 37 mm	135,00
2485	Swivel castor	Aluminium white	Solid rubber, black	100 x 37 mm	135,00
2486	Swivel castor	Aluminium red	Solid rubber, black	100 x 37 mm	135,00
2487	Swivel castor	Aluminium blue	Solid rubber, black	100 x 37 mm	135,00
2488	Swivel castor	Aluminium orange	Solid rubber, black	100 x 37 mm	135,00
2489	Swivel castor	Aluminium silver	Solid rubber, black	125 x 37 mm	135,00
2490	Swivel castor	Aluminum black	Solid rubber, black	125 x 37 mm	135,00
2491	Swivel castor	Aluminium white	Solid rubber, black	125 x 37 mm	135,00
2492	Swivel castor	Aluminium red	Solid rubber, black	125 x 37 mm	135,00
2493	Swivel castor	Aluminium blue	Solid rubber, black	125 x 37 mm	135,00
2494	Swivel castor	Aluminium orange	Solid rubber, black	125 x 37 mm	135,00
2495	Swivel castor	Carbon black	Solid rubber, black	100 x 30 mm	198,00
2496	Swivel castor	Carbon black	Solid rubber, black	125 x 30 mm	198,00

☐ Please select by ticking the relevant boxes☒ Special construction/individual solution o.r. - on request☐ Standard version: If no other selection is made, the standard version will be delivered.**03 Drive wheels**

CODE	DESCRIPTION	Ø	EUR €
2651	Standard wheel black, incl. quick release axle (pair)	24"	0,00
848	SILVERDESIGN with radial spokes and high flange rim incl. quick-release axle (pair)	24"	0,00
695	Active-wheel with radial spokes, high flange rim, hollow rim (Jumbo rim) in black	24"	208,00
2469	Spinergy CLX, carbon rear wheel, spokes and hub black	24"	1.154,00
2470	Spinergy LX, aluminum rear wheel, spokes, rim and hub black	24"	839,00
2471	Spinergy LX, aluminum rear wheel, rim and hub black, spokes white	24"	839,00
2472	Spinergy LX, aluminum rear wheel, rim and hub black, spokes orange	24"	839,00

***Antriebsräder (inkl. Bereifung und Greifreifen)**

CODE	DESCRIPTION	Ø	EUR €
2465	Six-Star incl. 8 bar high pressure tires and aluminum handrims (pair)	24x1"	668,00
2473	Blacklight aluminum rear wheel, incl. Schwalbe Marathon Plus tyres and aluminum push rims, rim, hub and spokes black	24x1"	314,00
2466	Cross wheel incl. coarse studded tires and stainless steel handrims (pair)	24x1.75"	462,00
2461	Day-Lite aluminum rear wheel, rim, hub and spokes black. Black aluminum handrim and black MBL Gazelle tires.	24x1"	355,00

***Radsturz/Radstandverlängerung**

CODE	DESCRIPTION		EUR €
478	1°-wheel camber		0,00
907	3° Wheel camber		0,00
454	6° Wheel camber		0,00
470	*Radsturz nach Angabe	*Grad auf Anfrage	143,00
899	Wheelbase extension	*mm	458,00
	 *Nur i.V. mit Code 348		

☐ Please select by ticking the relevant boxes☒ Special construction/individual solution o.r. - on request☐ Standard version: If no other selection is made, the standard version will be delivered.**04 Handrims**

CODE	DESCRIPTION	Ø	EUR €
493	Stainless steel, polished	24"	0,00
494	Aluminum silver anodised  Not i.c. with Active-Wheel CODE 695	24"	0,00
445	Titanium, with 6 brackets  Only i.c. with active wheel CODE 695 or Spinergy wheel CODE 2469,2470,2471,2472	24"	365,00
168	Optigripp-special handrim for tetraplegics	24"	418,00
849	Curve L, aluminum black anodised, ergonomic handrim profile, H 31 mm	24"	429,00
850	Curve L Tetra Grip, anti-slip coated, aluminum, suitable for quadriplegics, ergonomic handrim profile, H 31 mm	24"	429,00
853	Gekko, aluminum black anodized with replaceable rubber lip, ergonomic hand rim profile, H 31mm	24"	534,00
692	Handrim distance narrow		0,00
693	Handrim distance far		0,00

05 Tyres

CODE	DESCRIPTION	Ø	EUR €
496	Pneumatic tyre 8 bar, gray	24x1"	0,00
897	Schwalbe Marathon Plus Evolution tyre, puncture resistant	24x1" 25x1" 26x1"	83,00
363	Schwalbe ONE tyre, no profile, puncture resistant	24x1"	118,00
395	Maxxis VN Master Alpha Protect tyre black, puncture resistant, 10 bar	24x1" 25x1" 26x1"	44,00

06 Brakes

CODE	DESCRIPTION	EUR €
305	Pressure brake for user	0,00
2595	Light pressure brake made of aluminum, swing away	139,00

☐ Please select by ticking the relevant boxes☒ Special construction/individual solution o.r. - on request☐ Standard version: If no other selection is made, the standard version will be delivered.**07 Back-belt variants**

CODE	DESCRIPTION	EUR €
235	*Sitz- und Rückengurt schwarz	0,00
292	*Rückengurt, über Klettbinden anatomisch anpassbar, atmungsaktiv	153,00

Backrest options

CODE	DESCRIPTION	EUR €
411	*Ohne Schiebegriffe	0,00
413	*Schiebegriffe kurz, fest, anatomisch geformt	98,00
141	*Schiebegriffe, abschwenkbar ab Rückenlänge 300 mm	195,00
3001	*Rücken auf den Sitz abklappbar	363,00
! *nur i.V. mit hochschwenkbarem Seitenteil Code 3002		

08 Ride System Back

Please specify the CODE from the RIDE order sheet:

09 Seat cushions

CODE	DESCRIPTION	EUR €
739	*Sitzkissen 30 mm weich	134,00
740	*Sitzkissen 50 mm weich	134,00
719	*Sitzkissen 30 mm hart	134,00
720	*Sitzkissen 50 mm hart	134,00
7199	Netti Contour Breathable 3D cover	164,00

! *Material und Farbe wie Rücken

10 Ride System Seat

Please specify the CODE from the RIDE order sheet:

☐ Please select by ticking the relevant boxes

S

 Special construction/individual solution o.r. - on request

☐ Standard version: If no other selection is made, the standard version will be delivered.

11 Arm supports and arm pads

*1 = verschweißt 2 = verschraubt 3 = hochschwenkbar 4 = mit Radüberdeckung

CODE	DESCRIPTION	FUNCTIONS	EUR €
100	*Seitenteil aus Aluminium ! *inkl. Radüberdeckung, 35 mm	2,4	284,00
101	*Seitenteil aus Aluminium ! *inkl. Radüberdeckung, verschweißt	1,4	368,00
3002	*Seitenteil aus Aluminium, hochschwenkbar ! *Nur i.V. mit abklappbarem Rücken Code 3001	2,3,4	271,00
783	Carbon fiber side guard ! incl. mudguard 35mm	2,4	678,00

12 Footrests

CODE	DESCRIPTION	EUR €
311	*Fußaufstandsbügel aus Aluminium	365,00
315	*Fußaufstandsbügel aus Aluminium, inkl. Fußplatte aus Aluminium	355,00
3003	*Fußaufstandsbügel aus Aluminium, inkl. Fußplatte aus Aluminium, höhen- und winkelverstellbar	380,00

13 Frame colours

CODE	DESCRIPTION	EUR €
130	Titanium grey	0,00
206	Matt black	0,00
224	Blue-Metallic	0,00
227	Red Metallic	0,00
4044	Red Metallic Matt	134,00
4049	Olive green Matt	0,00
4050	Sky Blue	0,00
4051	Chalk	0,00
4922	Metallic green	0,00
4919	Silverline	380,00

☐ Please select by ticking the relevant boxes☒ Special construction/individual solution o.r. - on request☐ Standard version: If no other selection is made, the standard version will be delivered.**14 Options****Hand and spoke guard**

CODE	DESCRIPTION	EUR €
490	*Transparent (Hurricane Das Original)	179,00

Support castors

CODE	DESCRIPTION	EUR €
713	1 anti-tip, swivelling, mounted right	163,00
691	*Stützrollen, 1 Paar, wegschwenkbar  *empfohlen	326,00

Other accessories

CODE	DESCRIPTION	EUR €
359	*Wadengurt-Schnellbefestigung aus Kunststoff, verstärkt  *icht i.V. mit S-Rahmen Code 347	0,00
597	*Beinschutzpolster zur Dekubitusprophylaxe	139,00