


iCHAIR NETTI DYNAMIC S

1.623

 **Allowed user weight**
75 kg incl. load capacity





Pressure relief seat cushion



Lateral supports



Dynamic seat unit



High max. user weight of 75 kg

The dynamic one

EFFICIENCY

- Effectiveness through simple maintenance and a high level of service friendliness
- Little need for repairs by implementing high value and durable parts
- Modular design of the iCHAIR family enables component compatibility
- Numerous adjustment options allow individual adaptation

THERAPEUTIC BENEFIT

- A reduced forward slip / less need for repositioning
- Good sitting position and pressure relief at all times, because after the spasms you are automatically returned to your original position
- After a certain period of time we often experience less involuntary movements

FIELD OF USE

- For indoor and outdoor use, spring-mounted drive unit standard
- Especially good for indoor use: Rotating around its own axle supports in tight manoeuvres
- Precise manoeuvres through rigidly mounted steering castors
- The optional side-mounted support wheels allow easy and safe driving on single ramps

ORDER

COST ESTIMATE

CUSTOM DESIGN

Please fax the completed order form to:

05733 922 9311

Customer service 05733 922 311

Billing address / Customer ref. no.:

Delivery address:

Tax-ID

Consignment / Comments:

Order quantity:

MEYRA



Basic equipment

- 6 km/h speed based on 2x 180 W motors
- 300 mm Lift
- Tilt 0° - 30°
- 8" steering wheels and 12" drive wheels
- Netti Dynamic S seat unit incl. back covering and telescopic (dynamic) seat plate
- Back cushion Netti S Super Stable
- Seat cushion Netti S Sit

- Dynamic leg supports
- Lap belt Bodypoint evoflex
- reinforced torso pads
- Clothes guard with finger protection
- Headrest
- Active LED-lighting front and rear acc. to StVZO
- Operation via push bar
- Frame colour matt black



Allowed user weight

75 kg incl. load capacity



Hints

All prices include the statutory value added tax!

Our Terms and Conditions as stated at www.meyra.de/AGB shall apply

You can find information on the measurement process at www.meyra.de/messverfahren

Valid from 01.01.2024 - 31.12.2024.

Errors, misprints and changes reserved.

Use our K.I.S.S.S. for orders and configurations at www.kisss-by-meyra.de

You avoid queries and incorrect orders thanks to the buildability check



Technical specifications

¹⁾ see category seat width

³⁾ measured with 0° seat angle

²⁾ to seat pan without cushion

Dimension tolerances +/- 15 mm, +/- 2°

Seat widths in mm	300 - 400 ¹⁾
Seat depth in mm	250 - 350
Front seat height in mm	460 - 560 ³⁾
Back support height in mm	400 - 500
Lower shank length in mm	180 - 310 ²⁾
Arm support height in mm	180 - 260 ²⁾
Length with footrest in mm	1060 - 1810
Length without footrests in mm	860 - 1420
Width ready to drive in mm from	600 at 12°
Transport height in mm	640 - 960
Transport length in mm	860
Transport width in mm	600
Max. obstacle height in mm	60
Turning radius in mm	650
Ground clearance in mm	70
Transport empty weight basic configuration min.	110 - 160 kg
User weight	max. 75 kg (incl. load)
Driving speed	6 km/h
Motor power	2 x 180 W
Range with battery 50 Ah(20h)	max. 25 - 30 km
Range with 80 Ah battery (20h)	Max. 35 - 40 km
Permitted inclination/slopes	6°/11°
Form of steering	indirect
Seat camber electric	0° to 30°
Back support angle mechanical	90° - 125°
Lift in mm	300
Max. additional loading	10 kg
Drive	Midwheel

Please select by ticking the relevant boxes

Special construction/individual solution o.r. - on request

Standard version: If no other selection is made, the standard version will be delivered.

00 Chassis / engine / frame options

CODE	SPEED	RANGE	MOTOR POWER	MAX. Weight.
115	6 km/h	25-35 km	2 x 180 W	75 kg

Frame / rear swingarm





CODE	DESCRIPTION
352	Frame with rear swingarm and centrally suspended anti-tipp wheels
690	Frame with rear swing arm and two side-mounted anti-tipp wheels

01 Seat unit

CODE	DESCRIPTION
30	Netti Dynamic seat unit, width 300 mm, seat depths adjustable, dynamic cylinder 500 N
335	Netti Dynamic seat unit, width 350 mm, seat depths adjustable, dynamic cylinder 600 N
40	Netti Dynamic seat unit, width 400 mm, seat depths adjustable, dynamic cylinder 700 N
	Dynamic cylinder with individual resistance possible in special design

 incl. H-strap adapter frame

02 Seat depth (SD)

CODE	DESCRIPTION
385	SD 250 mm  Not in conjunction with SW 400 mm CODE 40
387	SD 275 mm  Not ic. with SW 400 mm CODE 40 Standard with SW 300 mm CODE 30
390	SD 300 mm  Not i.c. with SW 400 mm CODE 40 Standard with SW 350 mm CODE 335
392	SD 325 mm  Standard with SW 400 mm CODE 40
610	SD 350 mm

Please select by ticking the relevant boxes

 Special construction/individual solution o.r. - on request

 Standard version: If no other selection is made, the standard version will be delivered.

03 Castors

CODE	DESCRIPTION	Ø INCH	Ø MM
146/157	Aluminium rim Puncture-protected pneumatic tyres	8	200
157/900	Aluminium rim Puncture-proof tyres	8	200

04 Drive wheels

CODE	DESCRIPTION	Ø INCH	Ø MM
815/846	Aluminium rim Puncture-protected pneumatic tyres	12	300
815/904	Aluminium rim Puncture-proof tyres	12	300
824	Mudguard for drive wheels		

05 Tire color

Tyres consist of a rubber compound which may leave permanent marks or be hard to remove from some surfaces (e.g. plastic, wooden or parquet flooring, rugs and carpets).

We cannot accept liability for any abrasion damage to flooring.

CODE	DESCRIPTION
908	Black (abrasion-resistant) , rim carbon-coloured
909	Grey, carbon-coloured rim

07 Seat tilting/seat lift

CODE	DESCRIPTION	Seat angle	LIFT
27	Scissor lift incl. tilt	0° to 30°	300 mm

08 Seat cushion/replacement seat cover


CODE	DESCRIPTION
7208	S Seat Cushion - 3D Mesh Cover Breathable
7211	Replaceable cover - 3D for Netti S Sit cushion

Please select by ticking the relevant boxes


Special construction/individual solution o.r. - on request

Standard version: If no other selection is made, the standard version will be delivered.

09 Seat options

CODE	DESCRIPTION	WIDTH MM	LENGTH MM	HEIGHT MM
7189	Abduction wedge mini	40-60	100	50
7190	Abduction wedge small	80	140	80
7216	Bodypoint Evoflex 2 point pelvic stabilizer small		380	*inkl. Befestigung
7217	Bodypoint Evoflex 2 point pelvic stabilizer medium		460	*inkl. Befestigung
7215	Safety protection cap for 2 point pelvic stabiliser			
7218	Bodypoint - elastic universal strap S  May be shortened	1420	80	

10 Back and back options

CODE	DESCRIPTION	SIDE LEAD
7210	Back cushion Netti S Super Stable with lateral support  incl. fitting belt	150 mm

Back support options




CODE	DESCRIPTION	SHOULDER WIDTH
589	Chest shoulder strap	
7219	Bodypoint Stayflex chest strap XS	240-280mm
7220	Bodypoint Stayflex chest strap S	280-330 mm
7221	Bodypoint Stayflex chest strap M	330-410 mm
7222	Bodypoint Pivofit Shoulder Strap XXS	210-240 mm
7223	Bodypoint Pivofit Shoulder Strap XS	240-280 mm
7224	Bodypoint Pivofit Shoulder Strap S	280-330 mm
7225	Bodypoint Pivofit Shoulder Strap M	330-410 mm

Please select by ticking the relevant boxes


Special construction/individual solution o.r. - on request

Standard version: If no other selection is made, the standard version will be delivered.


11 Headrest

CODE	DESCRIPTION	TUBE HORI.	TUBE VERT.
7040	Headrest A Mini, with side guide	150 mm	350 mm
7041	Headrest B Small, oval	150 mm	350 mm
7051	Savant Headrest Pediatric  incl adapter and mounting material		
7049	Savant Headrest Pediatric S  incl adapter and mounting material		
7230	Headrest cover EASY CARE (removable)  only in combination with headrest A CODE 7040 or headrest B CODE 7041		
7052	Cushion for headrest, Mars cover grey		

12 Arm supports

CODE	DESCRIPTION
21	Armrests height and depth adjustable from 180 to 260 mm  measured from seat plate to upper edge of arm cushion
15	Soft 3D pad for arm pad 330 x 55 mm, removable
769	Clothes guard with finger protection

13 Leg supports

CODE	DESCRIPTION
7212	Dynamic leg support
91	Angle adjustable legrest  with leg length compensation, single foot plate
7081	Universal leg support  Negative angle possible

Please select by ticking the relevant boxes

Special construction/individual solution o.r. - on request

Standard version: If no other selection is made, the standard version will be delivered.

Leg support options

CODE	DESCRIPTION	SIZE
761	extra short leg rest length ⚠️ Only i.c. with dynamic leg support CODE 7212 Only i.c. with SW 300 mm or 350 mm Lower leg length 240-310 mm	
7229	Upholstered foot box ⚠️ only in combination with angle-adjustable legrest CODE 91 or universal legrest CODE 7081 not approved for transport by car	
823	Foot fixation straps (pair)	
7226	Bodypoint Ankle Strap S	170-200 mm
7227	Bodypoint Ankle Strap M	190-230 mm
7228	Bodypoint Ankle Strap L	220-290 mm

14 Batteries and Chargers

CODE	DESCRIPTION
5159	Maintenance free batteries 50 Ah
5158	Maintenance-free batteries 80 Ah
731	Charger 6 A for 50 Ah
733	Charger 12 A recommended for 80 Ah

15 Lighting

CODE	DESCRIPTION
932	Active LED-lighting front and rear acc. to StVZO

Please select by ticking the relevant boxes Special construction/individual solution o.r. - on request Standard version: If no other selection is made, the standard version will be delivered.

16 Control modules and holders

CODE	DESCRIPTION
7232	Operation at the rear via push bar, for intuitive and optimum control
702	Powermodul R-Net 90 A
678	Adjusting module R-Net
4615	Adjustment keyboard for direct selection and activation of the seat functions

17 software

CODE	DESCRIPTION
985	Series programming (standard)

18 Frame colours

CODE	DESCRIPTION
207	Chassis frame matte black

Accent color

CODE	DESCRIPTION
212	Rim inserts white

19 Options around the wheelchair

CODE	DESCRIPTION
7240	Table reinforced, slide on
7231	Padding for tray

USER DATA

First name

Name

Street

ZIP CODE

City

Country

Birthday

Diagnosis 1

Diagnosis 2

Tel.

Mobil

E-mail

Order number

Health insurance fund / cost unit

Specialist trade Contact person/phone.

Supply specialist MEYRA

Approval info from week

ANATOMICAL DATA (IN MM)

1) Seat depth

2) Seat width

3) Chest width

4) Chest depth

5) Elbow height

6) Armpit height

7) Back height


8) Head height

9) Forearm length

10) LLL

Body height

Weight (kg)



Remarks

I accept the Terms and Conditions of Meyra Distribution GmbH (valid as of January 2023)

<https://www.meyra.com/gtc/>

Date

City

Signature