

iCHAIR ORBIT 2

1.618



Allowed user weight

120 kg

160 kg





Electric seat tilt up to 50° for effective pressure relief



Scissor lift incl. seat tilt up to 30°



Biomechanical seat and back unit

EFFICIENCY

- Effectiveness through simple maintenance and a high level of service friendliness
- Little need for repairs by implementing high value and durable parts
- Modular structure of the iChair-family enables compatibility of parts and parts groups
- Numerous adjustment options allow individual adaptation

THERAPEUTIC BENEFIT

- The central leg support makes a 90° knee angle possible
- Ideal for retaining mobility at home, at the desk or in the office
- Effective pressure relief and relaxing positioning for long term sitting, through large electric adjustment sectors

FIELD OF USE

- For indoor and outdoor use, spring-mounted drive unit standard
- Especially good for indoor use: Rotating around its own axle supports in tight manoeuvres
- The optional side-mounted support wheels allow easy and safe driving on single ramps
- For working and active people, who need one wheelchair for different everyday situations
- For permanent and all-day use for independent mobility, also with extreme functional limitations

ORDER

COST ESTIMATE

CUSTOM DESIGN

Please send the order form by e-mail to:

info@meyragroup.com

Customer service: +49 571 93292 555

Billing address / Customer ref. no.:

Delivery address:

Tax-ID

Consignment / Comments:

Order quantity:

MEYRA



Price basic model

7.752,00 €



Allowed user weight

120 kg

160 kg



Hints

Our Terms and Conditions as stated at www.meyra.de/AGB shall apply

You can find information on the measurement process at www.meyra.de/messverfahren

Valid from 01.01.2025 - 31.12.2025.

Errors, misprints and changes reserved.

Use our K.I.S.S.S. for orders and configurations at www.kisss-by-meyra.de

You avoid queries and incorrect orders thanks to the buildability check

USER DATA

First name

Name

Street

ZIP CODE

City

Country

Birthday

Diagnosis 1

Diagnosis 2

Tel.

Mobil

E-mail

Order number

Health insurance fund / cost unit

Specialist trade Contact person/phone.

Supply specialist MEYRA

Approval info from week

ANATOMICAL DATA (IN MM)

1) Seat depth

2) Seat width

3) Chest width

4) Chest depth

5) Elbow height

6) Armpit height

7) Back height


8) Head height

9) Forearm length

10) LLL

Body height

Weight (kg)



Remarks

I accept the Terms and Conditions of Meyra Distribution GmbH (valid as of January 2023)

<https://www.meyra.com/gtc/>

Date

City

Signature



Technical specifications

Dimension tolerances +/- 15 mm, +/- 2°

Data subject to design changes

¹⁾ 8" / 9" steering wheel (measured at 0° seat angle)

²⁾ Seat systems: Standard / Contour backs / Biomechanical contour backs

³⁾ to seat pan without cushion

⁴⁾ Single/central legrests

⁵⁾ Standard / swivelling up

⁶⁾ min. with CODE 38 / 43 / 48 / 53 // max.

⁷⁾ with round tubular backrest (C.608) folded onto the seat

⁸⁾ depending on the batteries used

⁹⁾ Backrest adjustment : mechanical / electrical / biomechanical

Seat width in mm	380, 430, 480, 530
Seat depth in mm	400 - 550
Front seat height in mm	425, 460, 495 / 440, 475, 510 ^{1,3)}
Length in mm	111 - 133
Back support height in mm	520, 570 / 520, 570, 620 / 570, 620 ²⁾
Lower shank length in mm	340 - 480 / 280 - 450 ^{3,4)}
Arm support height in mm	250 - 360 / 220 - 380 ^{3,5)}
Length with central footrests in mm	1200 - 1350 / 1100 - 1200 ⁴⁾
Length without footrests in mm	930
Width 12 inches ready to drive in mm	600 / 600 / 640 / 680 // 800 ⁶⁾
Width 14 inches ready to drive in mm	640 / 640 / 640 / 680 // 800 ⁶⁾
Height without head support in mm	940 - 1180
Transport height min. in mm	680 - 780 ⁷⁾
Max. obstacle height in mm	60
Turning radius with central legrest in mm	700
Turn radius with single leg support in mm	800
Ground clearance	70
Transport empty weight basic configuration min.	120 kg - 165 kg
Permitted overall weight incl. options	330 kg
Max. additional loading	10 kg
Driving speed	6 km/h / 10 km/h
Motor power	2 x 180 W / 2 x 350 W
Range	30 km - 45 km ⁸⁾
Permitted inclination/slopes	15 %
Form of steering	indirect
Seat camber electric	0° up to +30° / 0° up to +50°
Seat camber mechanical	0°, 4°, 7°, 10°
Back support angle electric	-10° up to +30° / -10° up to +50° / 0° up to +80° ⁹⁾

☐ Please select by ticking the relevant boxes☒ Special construction/individual solution o.r. - on request☐ Standard version: If no other selection is made, the standard version will be delivered.**00 Chassis / engine / frame options**

CODE	SPEED	RANGE	MOTOR POWER	MAX. USER WEIGHT	EUR €
115	6 km/h	max. 40 km	2 x 180 W	120 kg	0,00
⚠ Only i.c. with LINX control unit CODE 2838					
2115	6 km/h	max. 40 km	2 x 350 W	160 kg	665,00
2117	10 km/h	max. 35 km	2 x 350 W	160 kg	1.126,00
⚠ In Germany only i.c. with TÜV certificate CODE 4772 In Germany only i.c. with rear marking film CODE 2676 or with rear marking plate CODE 676					

Chassis option

CODE	DESCRIPTION	EUR €
918	ESP stabilisation module	1.678,00
⚠ Not in conjunction with R-NET/LED CODE 702/415		

Frame options

CODE	DESCRIPTION	Dimensions (steering head distance)	EUR €
2000	Frame width: narrow	516 mm	0,00
⚠ Not in conjunction with 9' tyres CODE 163 Not in conjunction with single footplate for central legrest CODE 5107 Not in conjunction with large footplate for central legrest CODE 5108			
2001	Frame width: wide	570 mm	200,00

Suspension

CODE	DESCRIPTION	EUR €
892	Suspension: adjusted for user weights up to 120 kg	0,00
891	Suspension: adjusted for user weights up to 160 kg	100,00

☐ Please select by ticking the relevant boxes☒ Special construction/individual solution o.r. - on request☐ Standard version: If no other selection is made, the standard version will be delivered.

01 Drive wheels

Tyres consist of a rubber compound which may leave permanent marks or be hard to remove from some surfaces (e.g. plastic, wooden or parquet flooring, rugs and carpets).

We cannot accept liability for any abrasion damage to flooring.

CODE	DESCRIPTION	EUR €
815	12" drive wheel with aluminium rim	0,00
	 Not in conjunction with steering wheel suspension for 8" wheel CODE 2145 and 2146	
460	14" drive wheel with aluminium rim	272,00
2460	14" cross tyres (FAT-BOY), puncture-protected pneumatic tyres	354,00
	 Only in conjunction with lug profile pneumatic tyres, black CODE 482 and CODE 908 Not in conjunction with fuel guard for drive wheels CODE 824	

Rear wheel options

CODE	DESCRIPTION	EUR €
846	Racing profile, puncture-protected pneumatic tyres	0,00
904	Racing profile, puncture-proof tyres	216,00
482	Cleat profile, puncture-protected pneumatic tyres	0,00
905	Cleat profile, puncture-proof tyres	216,00
824	Mudguard for drive wheels	138,00
	 Not i.c. with cross tyres CODE 2460	

☐ Please select by ticking the relevant boxes

S

 Special construction/individual solution o.r. - on request

☐ Standard version: If no other selection is made, the standard version will be delivered.

02 Steering wheel/seat height

		FSH (mm)					
		(C-2511)	(C-2511)	(C-2512)	(C-2512)	(C-2513)	(C-2513)
Code	Steering wheel Ø INCH	425	440	460	475	495	510
157	8"						
163	9"						

! VSH measured at 0° seat inclination, up to seat plate height

9" steering wheel not in conjunction with 6 km/h CODE 115
9" steering wheel only in conjunction with wider frame CODE 2001
9" steering wheel only in conjunction with 14" drive wheel with aluminum rim CODE 460
9" steering wheel not in conjunction with steering wheel suspension for 8" wheel CODE 2145 and 2146
9" steering wheel not in conjunction with large footplate for central legrest CODE 5108
9" steering wheel not in conjunction with single footplate for central legrest CODE 5107

Steering wheel option

CODE	DESCRIPTION	EUR €
146/157	8" Puncture-protected tyres	0,00
157/900	8" Puncture-proof tyres	206,00
146/163	9" Puncture-protected tyres	0,00
163/900	9" Puncture-proof tyres	206,00
	! Only in conjunction with wider frame CODE 2001 Only in conjunction with 14" drive wheel with aluminum rim CODE 460	
816	Mudguard for 9" steering wheel	143,00
	! Only i.c. with 9" steering wheel CODE 163	

CODE	DESCRIPTION	EUR €
2145	8" cushioned castor wheels (recommended for users weighing up to 100 kg)	899,00
2146	8" cushioned castor wheels (recommended for users weighing up to 160 kg)	899,00

! Only in conjunction with 14' drive wheel with aluminium rim CODE 460
Only in conjunction with 8' steering wheel CODE 157
Seat height with steering wheel suspension +15 mm

☐ Please select by ticking the relevant boxes☒ Special construction/individual solution o.r. - on request☐ Standard version: If no other selection is made, the standard version will be delivered.

Rear wheel options

CODE	DESCRIPTION	EUR €
147	6" solid rubber tires, black	0,00
246	6" Doublewheel (pair), puncture-proof, black	200,00

Tyre colour (front and drive wheels)

CODE	DESCRIPTION	EUR €
908	Black, abrasion-resistant	0,00
909	Grey This colour is only available on REQUEST  Not in conjunction with 14' cross tyres FAT-BOY CODE 2460	0,00

03 Seat width/depth

		Seat depth (mm)					
		(C-615)	(C-788)	(C-619)	(C-4105)	(C-791)	(C-955)
Code	Seat width	400	430	460	490	520	550
38	380 mm						
43	430 mm						
48	480 mm						
53	530 mm						

 Additional adjustment of the seat width via the armrests is possible, category Armrest options

Seat depth 550 mm CODE 955 is not in conjunction with electric seat tilt, continuously adjustable by 50 degrees CODE 4118

Seat width 530 mm CODE 53 is not in conjunction with Netti Uno Back CODE 7201 and Netti Kyphotic CODE 7205

☐ Please select by ticking the relevant boxes☒ S Special construction/individual solution o.r. - on request☐ Standard version: If no other selection is made, the standard version will be delivered.**04 Seat cushions**

CODE	DESCRIPTION	EUR €
4276	Seat plate without cushion	0,00
561	Seat cushion textile, black, 60 mm thick	156,00
948	iCHAIR MEYLIFE contour seat	446,00
7206	Netti Uno	228,00
7203	Netti Sit	438,00
7400	Ride Forward	1.270,00
7401	Ride Java	1.398,00

 Netti and Ride not in conjunction with seat depth 550 mm

05 Seat/back options**Seat/back/headrest cover**

CODE	DESCRIPTION	EUR €
237	Textile cover black	0,00
254	Synthetic leather	412,00

 can only be used on contour cushion CODE 949 and headrest CODE 914

Seat tilt / seat lift

CODE	DESCRIPTION	Seat angle	LIFT	EUR €
119	Mechanical seat tilt in stages	0° to 9°		0,00
	 Not in conjunction with central back CODE 2946			
118	Electric seat tilt, infinitely variable by 30 degrees	0° to 30°		1.540,00
	 Only in conjunction with 2 or 6-fold control of CODE 682 or 678 adjustment motors			
4118	Electric seat tilt, infinitely variable by 50 degrees	0° to 50°		2.062,00
	 Only in conjunction with 2 or 6-fold control of CODE 682 or 678 adjustment motors			
27	Scissor lift incl. seat tilt	0° to 30°	300 mm	6.234,00
	 Only in conjunction with 6-fold control of adjustment motors CODE 678			

 The adjustment range can deviate by max. +/- 3° depending on SH and size of the caster wheels

☐ Please select by ticking the relevant boxes

S

 Special construction/individual solution o.r. - on request

☐ Standard version: If no other selection is made, the standard version will be delivered.

06 Back systems

Round tube back, back cushion and height

		Back height (mm)			
		(C-921)	(C-922)	(C-921)	(C-922)
Code	Description	520	570	620	670
608	Round tubes, 22 mm, prepared for external backrest systems				
608/735	Fitting belt without pad				
608/736	Fitting belt with pad, black				
		146,00	146,00		
608/7201	Netti Uno Back			376,00	376,00
608/7209	Netti Smart			376,00	376,00
608/7207	Netti Stabil			616,00	616,00
608/7210	Netti Super Stabil			708,00	708,00
608/7205	Back cushion Netti Kyphotic			840,00	840,00
608/7454	Ride Grande				1.364,00

☐ Please select by ticking the relevant boxes☒ Special construction/individual solution o.r. - on request☐ Standard version: If no other selection is made, the standard version will be delivered.**Backrest adjustments for round tubular backrests**

CODE	DESCRIPTION	EUR €
401	Mechanical back adjustment for round tube backs	0,00
25	Electric back adjustment for round tube backs	1.580,00

 Only in conjunction with round tube back CODE 608

Central back/contour back

		Back height (mm)			
		(C-921)	(C-922)	(C-923)	(C-928)
Code	Description	520	570	620	670
949/2038	Contour back 380mm wide				
949/2043	Contour back 430mm wide				
949/2048	Contour back 480mm wide				
949/2053	Contour back 530mm wide				

 Only in conjunction with central back CODE 2946

Back height 520 mm CODE 921 or 570 mm CODE 922 can only be fitted in conjunction with electric back adjustment CODE 2946/2947

Back height 670 mm CODE 928 can only be fitted in conjunction with electric biomechanical back adjustment CODE 2946/2948

Back adjustments for central back

CODE	DESCRIPTION	Degree angle	EUR €
2946/2947	Electric backrest adjustment for central back, infinitely variable	150°	2.252,00
	 Only in conjunction with armrest, swivelling upwards, angle-adjustable CODE 24 or removable armrest, height and depth-adjustable CODE 106		
2946/2948	Electric biomechanical back adjustment for central back, infinitely variable	170°	3.006,00
	 Only in conjunction with armrest swivel-up, angle-adjustable, biomechanical CODE 324		

 Only in conjunction with bus distributor 4-fold CODE 2859

Only in conjunction with 6-fold control of adjustment motors CODE 678

☐ Please select by ticking the relevant boxes

☒ Special construction/individual solution o.r. - on request

☐ Standard version: If no other selection is made, the standard version will be delivered.

Additional options/positioning

CODE	DESCRIPTION	POSITIONING	EUR €
914	Multifunctional 3D headrest with the possibility of individual adjustment of the side bolsters  Adjustment range: horizontal, vertical and angular Pad with 3D ball joint		546,00
937	Headrest extension for 3D headrest		80,00
4275	Mounting rails, accessories on the back  Only in conjunction with centre back CODE 2946	Contour	316,00
2957	Swing-away chest pelottes  Only in conjunction with mounting rails CODE 4275	Contour	326,00
797	Side bolster for seat cushion (thigh support)	Seat pan	73,00
4933	Thigh supports continuously adjustable in width and length	Seat pan	878,00
814	Push handle continuous for central back  Only in conjunction with centre back CODE 2946	Contour	192,00
2958	Depth extension for round tube backs  Only in conjunction with round tube back CODE 608	Round tube	200,00

07 Arm supports

1 = removable 2 = height-adjustable 3 = width-adjustable 4 = depth-adjustable 5 = height-adjustable 6 = biomechanical

CODE	DESCRIPTION	FUNCTIONS	EUR €
106	Armrest removable, height and depth adjustable  Not in conjunction with electric biomechanical backrest adjustment CODE 2946/2948	1,2,3,4	0,00
24	Armrest can be swivelled upwards, angle-adjustable  Not in conjunction with electric biomechanical backrest adjustment CODE 2946/2948	2,3,4,5	700,00
324	Armrest can be swivelled up, angle-adjustable, biomechanical  Not in conjunction with electric backrest adjustment CODE 2946/2947	2,3,4,5,6	1.150,00

Armrests options

CODE	DESCRIPTION	EUR €
4422	Armrest fixation in initial position  Only in conjunction with armrest swivel-up, angle-adjustable, biomechanical CODE 324 or armrest swivel-up, angle-adjustable CODE 24	65,00
101	Clothing guard for armrest  Only in conjunction with removable armrest, height and depth adjustable CODE 106	200,00

☐ Please select by ticking the relevant boxes☒ S Special construction/individual solution o.r. - on request☐ Standard version: If no other selection is made, the standard version will be delivered.**Armrest cushions**

CODE	DESCRIPTION	POSITION	EUR €
975	Armrest padded (standard)	left	0,00
974	Armrest padded (standard)	right	0,00
4990	Armrest padded (standard) with swivel joint	left	372,00
4984	Armrest padded (standard) with swivel joint	right	372,00
4982	Armrest hemiplegia lower arm support	left	418,00
4981	Armrest hemiplegia lower arm support	right	418,00
4993	Armrest hemiplegia lower arm support with swivel joint	left	444,00
4991	Armrest hemiplegia lower arm support with swivel joint	right	444,00
4988	Handrest flat for hemiplegia lower arm support  Only in conjunction with CODE 4982 or 4993 Not in conjunction with CODE 975 or 4990	left	63,00
4985	Handrest flat for hemiplegia lower arm support  Only in conjunction with CODE 4981 or 4991 Not in conjunction with CODE 974 or 4984	right	63,00
4987	Handrest with ergonomic grip for hemiplegia lower arm support  Only in conjunction with CODE 4982 or 4993 Not in conjunction with CODE 975 or 4990	left	63,00
4986	Handrest with ergonomic grip for hemiplegia lower arm support  Only in conjunction with CODE 4981 or 4991 Not in conjunction with CODE 974 or 4984	right	63,00
4989	Extension for hemiplegia lower arm support  Only in conjunction with CODE 4982 or 4993 Not in conjunction with CODE 975 or 4990	left	84,00
4983	Extension for hemiplegia lower arm support  Only in conjunction with CODE 4981 or 4991 Not in conjunction with CODE 974 or 4984	right	57,00

☐ Please select by ticking the relevant boxes

☒ Special construction/individual solution o.r. - on request

☐ Standard version: If no other selection is made, the standard version will be delivered.

08 Leg supports

Side leg rests

CODE	DESCRIPTION	EUR €
293	Legrests, detachable and swing-away	0,00
4092	Legrests, removable, swivelling, height-adjustable by mechanical means	722,00
2086	Legrests, removable, swivelling, electrically height-adjustable  Only in conjunction with 6-way control of adjustment motors CODE 678 Only in conjunction with mechanical seat tilting CODE 119	3.698,00

Central legrest

CODE	DESCRIPTION	LS-ANGLE	LSL	EUR €
5092/5100	Central legrest, mechanically angle adjustable	85°-95°	280-400 mm	608,00
5092/5101	Central legrest, mechanically angle adjustable	85°-95°	330-450 mm	608,00
4935/5086	Electr. central legrest, elect. length compensation  Only in conjunction with 6-way control of adjustment motors CODE 678 Only in conjunction with calf pad CODE 2945	90°-150°	200-400mm	2.574,00
5086/5104	Electric central legrest, electric length compensation  Only in conjunction with 6-way control of adjustment motors CODE 678 Only in conjunction with calf pad CODE 2945	90°-150°	200-450mm	2.700,00
4949/5086	Electric central legrest, electrically lowerable, floor length compensation  Only in conjunction with 6-way control of adjustment motors CODE 678 Only in conjunction with calf pad CODE 2945 Not in conjunction with single foot plate for central legrest CODE 5107	90°-150°	350-450mm	3.150,00

09 Footplate options for central legrest

CODE	DESCRIPTION	wide	EUR €
5109	Standard foot plate for central legrest  Not i.c. with lateral legrests	275 mm	0,00
5108	Wide foot plate for central leg support  Not i.c. with lateral legrests	310 mm	300,00
5107	Single foot plates for central leg support  Not in conjunction with lateral legrests Not in conjunction with electric central legrest CODE 4949/5086	300 mm	450,00

☐ Please select by ticking the relevant boxes☒ Special construction/individual solution o.r. - on request☐ Standard version: If no other selection is made, the standard version will be delivered.**Footrests**

CODE	DESCRIPTION	depth	LSL	EUR €
808	Footrests split, fold-up, angle adjustable  Not i.c. with central legrest			0,00
57	One-piece footrest  Not i.c. with central legrest			430,00

Footrest options

CODE	DESCRIPTION	EUR €
822	Shoe fastening strap (pair)	65,00
823	Heel cup (pair)	114,00
2945	Calf pad  Only in conjunction with central legrest	412,00

10 Batteries and Chargers

CODE	DESCRIPTION	EUR €
5159	Maintenance-free batteries 50 Ah (20 h)	0,00
511	Gel batteries 60 Ah (20 h)	175,00
5158	Maintenance-free batteries 80 Ah (20 h)	340,00
731	Charger 6 A for 50 Ah (20 h)	0,00
732	Charger 8A	170,00
733	Charger 12 A for 80 Ah (20 h)	330,00

11 Lighting

CODE	DESCRIPTION	EUR €
932	Active LED-lighting front and rear acc. to StVZO	0,00

☐ Please select by ticking the relevant boxes☒ Special construction/individual solution o.r. - on request☐ Standard version: If no other selection is made, the standard version will be delivered.**12 Joystick modules and accessories****LINX****CONTROL**

Code	Control modules	2-fold (C-682)	6-fold (C-678)
2838/2847	LiNX RM+LIGHTS+LTD SEAT (Rem 215)		
2838/2848	LiNX RM+LIGHTS+SEAT (Rem 216)		1.200,00
2838/2849	LiNX Touchscreen Remote (Rem 400)		1.799,00
2838/2850	LiNX Specialty Touchscreen Display (Rem 500)		2.799,00

LINX REM 500 CODE 2838/2850 is only available in conjunction with bus distributor 4-fold CODE 2859 and operating module holder CODE 4860

Accessories for operating/adjustment modules

CODE	DESCRIPTION	EUR €
2857	Toggle Switches für REM 400  Only i.c. with LINX Touchscreen Remote REM 400 CODE 2838/2849	411,00

☐ Please select by ticking the relevant boxes☒ Special construction/individual solution o.r. - on request☐ Standard version: If no other selection is made, the standard version will be delivered.**R-NET****CONTROL**

Code	Control modules	6 / 678
702/415	R-NET LED	1.200,00
702/416	R-NET LCD	1.598,00
702/398	R-NET LCD IR/BT	2.472,00
702/839	R-NET OMNI II	5.112,00

⚠ R-NET OMNI II can only be used in conjunction with bus distributor 4-fold CODE 2850
CODE 839 OMNI II Flashing function and horn function can only be selected via menu

Assembly of the operating module

CODE	DESCRIPTION	EUR €
74	Assembly right	0,00
60	Assembly left	0,00

13 Operating module bracket

CODE	DESCRIPTION	EUR €
4859	Operating module bracket, length adjustable	0,00
4860	Operating module holder, length and height adjustable, swivelling	200,00
4874	Protection bracket for control module	71,00
2060/4789	Attendant control mounted on the left ⚠ Only i.c. with bus distributor 4-fold CODE 2859	718,00
2074/4789	Attendant control mounted on the right ⚠ Only i.c. with bus distributor 4-fold CODE 2859	718,00

☐ Please select by ticking the relevant boxes☒ Special construction/individual solution o.r. - on request☐ Standard version: If no other selection is made, the standard version will be delivered.

External adjustment module

Button assignment

1 = Back - 2 = Lift - 3 = BS Sync - 4 = BS F1 - 5 = Tilt

Button assignment according to customer requirements: via special programming CODE 998

CODE	DESCRIPTION	EUR €
2858/4597	Ext. adjustment keypad for 5 electrical functions (LINX only) - Mounting on the operating module side  *Nur i.V. mit LINX Steuerung REM400 oder REM500 CODE 2838/2849 oder 2838/2850 Nur i.V. mit Bedienmodulhalterung CODE 4860	1.108,00
2858/4599	Ext. adjustment keypad for 5 electrical functions (LINX only) - Mounting opposite operating module side  *Nur i.V. mit LINX Steuerung REM400 oder REM500 CODE 2838/2849 oder 2838/2850	950,00
4597/4615	Ext. adjustment keypad for 5 electrical functions (R-Net only) - Mounting on the operating module side  Only i.c. with operating module holder CODE 4860	1.548,00
4599/4615	Ext. adjustment keypad for 5 electrical functions (R-NETonly) - Mounting opposite operating module side	1.390,00

☐ Please select by ticking the relevant boxes☒ Special construction/individual solution o.r. - on request☐ Standard version: If no other selection is made, the standard version will be delivered.**Special operating modules**

CODE	DESCRIPTION	EUR €
2851	LiNX Compact Remote  Only in conjunction with LINX Touchscreen Remote REM 400 CODE 2838/2849 or LINX Specialty Touchscreen Display REM 500 CODE 2838/2850	823,00
2852	LiNX Comp. Rem. Low Force  Only in conjunction with LINX Touchscreen Remote REM 400 CODE 2838/2849 or LINX Specialty Touchscreen Display REM 500 CODE 2838/2850	977,00
2854	LiNX IN 200 Module	780,00
2855	LiNX IN 500, Input Module w. S/P	800,00
2856	LiNX Output Module	256,00
4646	Therapy table swivelling sideways  Not in conjunction with ext. adjustment keypad for 5 electronic functions (R-Net) CODE 4615	702,00
4660	Table top control can be swivelled to the right  Only in conjunction with R-NET control CODE 702 Not in conjunction with swiveling, angle-adjustable armrest CODE 24 Not in conjunction with R-NET OMNI II CODE 702/839 Not in conjunction with external adjustment keypad for 5 electronic functions (R-NET) CODE 4615	770,00
4661	Table top control can be swivelled to the left  Only in conjunction with R-NET control CODE 702 Not in conjunction with swiveling, angle-adjustable armrest CODE 24 Not in conjunction with R-NET OMNI II CODE 702/839 Not in conjunction with external adjustment keypad for 5 electronic functions (R-NET) CODE 4615	770,00
2238	Rear head control narrow  Only in conjunction with R-NET control unit CODE 702	5.670,00
2239	Rear head control wide  Only in conjunction with R-NET control unit CODE 702	5.670,00

☐ Please select by ticking the relevant boxes☒ Special construction/individual solution o.r. - on request☐ Standard version: If no other selection is made, the standard version will be delivered.

External button

for users who can hardly operate the keys of the operating module or as an emergency/off function for accompanying person

CODE	DESCRIPTION	EUR €
543	Push-button, diameter 63 mm, green	340,00
596	Push-button, diameter 63 mm, yellow	340,00
778	Push-button, diameter 30 mm, green	340,00
779	Push-button, diameter 30 mm, yellow	340,00

! External button can be used in the following connections:
R-NET control CODE 702
LiNX Touchscreen Remote (Rem 400) CODE 2838/2849
LiNX Specialty Touchscreen Display (Rem 500) CODE 2838/2850
LiNX IN 200 Module CODE 2854
LiNX IN 500 CODE 2855
LiNX Output Module CODE 2856

Operating module software

CODE	DESCRIPTION	EUR €
985	Series programming (standard)	0,00
998	Special programming (deviation from standard)	1.078,00

Joystick attachments

CODE	DESCRIPTION	EUR €
556	TETRA fork horizontal	222,00
734	TETRA fork horizontally adjustable to hand width	148,00
4589	Joystick button mushroom handle	70,00
4590	Joystick button ball handle 38 mm	70,00
4591	Joystick button T-handle	138,00
4593	Joystick button handle	82,00
4594	Joystick button handle	70,00
4595	Joystick Knopf Softball 70 mm	70,00
4596	Golfball, small, 43 mm	108,00

☐ Please select by ticking the relevant boxes☒ Special construction/individual solution o.r. - on request☐ Standard version: If no other selection is made, the standard version will be delivered.**14 Accent colours**

CODE	FRAME	AKZENTE	EUR €
207	Matt black		0,00
212	Matt black	Polar white	132,00
186	Matt black	Magic Blue	132,00
227	Matt black	Red Metallic	132,00
180	Matt black	Lemon reflex	132,00
214	Matt black	Sun yellow	132,00

15 Options around the wheelchair

CODE	DESCRIPTION	EUR €
4795	Anti-theft function, key  Only in conjunction with R-NET control unit CODE 702	59,00
970	Crutch holder  Only in conjunction with round tube back CODE 608	104,00
833	Safety belt	99,00
589	Suspender seatbelt	360,00
781	USB charging socket  *Momentan nicht i.V. mit R-NET Steuerung CODE 702 Nur i.V. mit Busverteiler 4-Fach CODE 2859	216,00
2859	Bus distributor 4-fold	79,00
4772	TUV-certificate only i.c.w. code 117	0,00
2721	Adapter set for DAHL docking station  Not in conjunction with steering wheel suspension for 8" wheel CODE 2145 and 2146	1.240,00

Wheelchair options

CODE	DESCRIPTION	EUR €
2676	Warning sign sticker  Only in conjunction with centre back CODE 2946	80,00
676	Rear marking plate  Only in conjunction with round tube back CODE 608	200,00

☐ Please select by ticking the relevant boxes☒ Special construction/individual solution o.r. - on request☐ Standard version: If no other selection is made, the standard version will be delivered.**24 Service**

Item	DESCRIPTION	EUR €
55704	Flat fee for customised parameterisation (not eligible for discounts)  The on-the-spot service covers only simple adjustment of parameter sets, such as acceleration, speed etc.	556,00
55709	Medically necessary parameterization to client-specific setting values  The on-the-spot service covers simple program adjustments as well as the integration of special controls.	1.124,00