

FLASH

1.135

 **Allowed user weight**
75 kg






Anatomical back shell, removable



Trendy design



Perfect adjustment of lower leg length



Ultra flexible- a seat that grows with you

The rolling lightning

EFFICIENCY

- "Grow with you" wheelchair design reduces care costs
- Great versatility when it comes to adjusting the sitting position and the handling characteristics
- Rapid, long-term supply of spare parts thanks to extensive network of specialist retailers
- Excellent possibilities for reuse

THERAPEUTIC BENEFIT

- Flexible seat unit for perfect adjustment to the individual measurements of the child
- Adapter allows adjustment of seat depth to the front
- Telescopic back unit for adjustment of 45 mm to the back; ideal for seat shell care
- Low weight, anatomical seat unit and maximum variability for ideal handling
- Enormous amount of leg room at the front due to standard abduction frame
- Very easy to adjust to any necessary changes resulting from growth or a change in functions
- Length for calf progressively adjustable up to 200 mm

FIELD OF USE

- For active children and youths
- For domestic use and leisure activities
- For children of kindergarten, pre-school and school age

ORDER

COST ESTIMATE

CUSTOM DESIGN

Please send the order form by e-mail to:

info@meyragroup.com

Customer service: +49 571 93292 555

Billing address / Customer ref. no.:

Delivery address:

Tax-ID

Consignment / Comments:

Order quantity:

MEYRA



Allowed user weight

75 kg



Hints

Our Terms and Conditions as stated at www.meyra.de/AGB shall apply

You can find information on the measurement process at www.meyra.de/messverfahren

When transported in public transport (e.g. train), the dimensions of the wheelchair may be higher than the guide values of the transport company. Please inquire in advance.

Valid from 01.01.2025 – 31.12.2025.

Errors, misprints and changes reserved.

Use our K.I.S.S.S. for orders and configurations at www.kisss-by-meyra.de

You avoid queries and incorrect orders thanks to the buildability check



Technical specifications

	MIDI	MAXI
Seat widths in mm	240 - 300	240 - 400
Width ready to drive in mm from	Seat widths + 180 (0°) / + 220 (3°) / + 260 (6°)	
Seat depth in mm	240 - 300	320 - 400
Overall height in mm	rear seat height + back height + 40	
Back support height in mm	250 - 400	
Back angle	75° - 105°	
Lower shank length in mm	200 - 290	250 - 320 / 330 - 440
Length with footrest in mm	670 - 745	855 - 930
User weight	75 kg	
Empty weight from	10 kg	
Permissible overall weight	90 kg	
Transport weight	8 kg	
Rear wheel	550 (22") / 600 (24")	
Brake test according to STANDARD	7°	

☐ Please select by ticking the relevant boxes S Special construction/individual solution o.r. - on request
☐ Standard version: If no other selection is made, the standard version will be delivered.

00 Seat width/-depth and frame design

Seat width (SW)		Frame length MIDI, seat depth in mm				Frame length MAXI, seat depth in mm				
Seat belt	Seaty cushion/Shell	240	260	280	300	320	340	360	380	400
240 mm	210 mm 200 mm	(67/124/351/524)	(67/124/351/526)	(67/124/351/528)	(67/124/351/390)	(61/124/352/392)	(61/124/352/394)	(61/124/352/366)	(61/124/352/368)	(61/124/352/615)
260 mm	230 mm 220 mm	(67/126/351/524)	(67/126/351/526)	(67/126/351/528)	(67/126/351/390)	(61/126/352/392)	(61/126/352/394)	(61/126/352/366)	(61/126/352/368)	(61/126/352/615)
280 mm	250 mm 240 mm	(28/67/351/524)	(28/67/351/526)	(28/67/351/528)	(28/67/351/390)	(28/61/352/392)	(28/61/352/394)	(28/61/352/366)	(28/61/352/368)	(28/61/352/615)
300 mm	270 mm 260 mm	(30/67/351/524)	(30/67/351/526)	(30/67/351/528)	(30/67/351/390)	(30/61/352/392)	(30/61/352/394)	(30/61/352/366)	(30/61/352/368)	(30/61/352/615)
320 mm	290 mm 280 mm					(32/61/352/392)	(32/61/352/394)	(32/61/352/366)	(32/61/352/368)	(32/61/352/615)
340 mm	310 mm 300 mm					(34/61/352/392)	(34/61/352/394)	(34/61/352/366)	(34/61/352/368)	(34/61/352/615)
360 mm	330 mm 320 mm					(36/61/352/392)	(36/61/352/394)	(36/61/352/366)	(36/61/352/368)	(36/61/352/615)
380 mm	350 mm 340 mm					(38/61/352/392)	(38/61/352/394)	(38/61/352/366)	(38/61/352/368)	(38/61/352/615)
400 mm	370 mm 360 mm					(40/61/352/392)	(40/61/352/394)	(40/61/352/366)	(40/61/352/368)	(40/61/352/615)

02 Front seat height (FSH) in combination with castor wheel (without seat cushion)

		Front seat height in mm (FSH)									
Code	Castor	390	400	410	420	430	440	450	460	470	480
151	Ø 100 Solid rubber										
153	Ø 125 Solid rubber										
327	Ø 142 Soft solid rubber										
1068963	Ø 100 Lightwheel										
1072385	Ø 100 Castor wheel aluminium silver										
1072386	Ø 125 Castor wheel aluminium silver										

☐ Please select by ticking the relevant boxes S Special construction/individual solution o.r. - on request
☐ Standard version: If no other selection is made, the standard version will be delivered.

Drive wheels in combination with seat height When selecting frame length MIDI

RSH (mm) 360 380 400 420 440

A

CODE	RSH (mm)	DESCRIPTION	Ø
651	A	Standard wheel including quick-release axle, pair	22"
706	A	Drum brake wheel	22"
752	A	Lightweight wheel including quick-release axle	22"

*Bei Auswahl Rahmenlänge MAXI

RSH (mm) 390 410 430 450 470

B

CODE	RSH (mm)	DESCRIPTION	Ø
651	B	Standard wheel including quick-release axle	24"
706	B	Drum brake wheel	24"
752	B	Lightweight wheel including quick-release axle	24"

Rear wheels X-Trends

RSH (mm) 400 420 440 460 480

C

Item	RSH (mm)	DESCRIPTION	Ø
1068705	C	Six-Star incl. 8 bar high pressure tyres and aluminium handrim	24x1"
1068707	C	CROSS-wheel incl. aluminium rim and rough cleat profile tyres and stainless steel handrim	24x1.75"

05 Horizontal rear wheel position (center of gravity)

	ACTIVE	MEDIUM	PASSIVE
Position/Distance	1 / 70 mm	2 / 55 mm	3 / 40 mm
Selection			4 / 25 mm

☐ Please select by ticking the relevant boxes☒ Special construction/individual solution o.r. - on request☐ Standard version: If no other selection is made, the standard version will be delivered.**06 Wheel camber**

CODE	DESCRIPTION
423	0° wheel camber
447	3° Wheel camber
454	6° Wheel camber

07 Handrims and handrim options (not combinable with X-Trends wheels)

CODE	DESCRIPTION	Ø	Ø
493	Stainless steel, polished	-	24"
494	Aluminum silver anodised	22"	24"
	 Not in combination with active wheel CODE 695		
168	Optigripp-special handrim for tetraplegics	-	24"
492	Maxgrepp Ergo	22"	24"
	 Only in combination with 15 mm hand rim gap CODE 692 Not in combination with spoke guard		
166	Silicon hand rim cover, smooth, black	22"	24"
692	Handrim distance 15 mm	22"	24"
693	Handrim distance 25 mm	22"	24"

08 Tyres (not combinable with X-Trends wheels)

CODE	DESCRIPTION	Ø	Ø
496	High pressure tyre 8 bar	22x1"	24x1"
902	PU-tyres, puncture safe	22x1"	24x1"
	 Not in combination with active wheel CODE 695		
897	Marathon-Plus-Evolution tyres, puncture protected	22x1"	24x1"

☐ Please select by ticking the relevant boxes☒ Special construction/individual solution o.r. - on request☐ Standard version: If no other selection is made, the standard version will be delivered.**09 Brake**

CODE	DESCRIPTION
305	Pressure brake for user
681	Brake lever extension

10 Back height

		BH 225 250 275 300 325 350 375 400 425
		☒ A
		☐ B
		☐ C
		☐ D
CODE	BH	DESCRIPTION
620	☒ A	Back strap height 250 mm, adjustable +/-25 mm  adjustable not in conjunction with CODE 29 back +/- 15° angle adjustable
625	☐ B	Back strap height 300 mm, adjustable +/- 25 mm  adjustable not in conjunction with CODE 29 back +/- 15° angle adjustable
631	☐ C	Back strap height 350 mm, adjustable +/- 25 mm  adjustable not in conjunction with CODE 29 back +/- 15° angle adjustable
632	☐ D	Back strap height 400 mm, adjustable +/- 25 mm  adjustable not in conjunction with CODE 29 back +/- 15° angle adjustable

☐ Please select by ticking the relevant boxes S Special construction/individual solution o.r. - on request
☐ Standard version: If no other selection is made, the standard version will be delivered.

11 *Seat-/back system*

Back systems				
Seat system	without backrest cover	Adjustable back	Aluminium back shell	Aluminium back shell/- cushion shaped SEATY
Seat belt	(593)	(735)	(940)	(940/949)
Seat belt/-cushion	(560/593)	(560/735)	(560/940)	(560/940/949)
anatomically formed seat			(940/948)	(940/948/949)
SEATY padding	(593/4976)	(735/4976)		
SEATY Shell SW 240-300mm				(4976/4977)
SEATY Shell SW 320-400mm				(4976/4977)

Seaty adjustment

Seaty increases the seat height by 30 mm.
For Seaty seat cushion, the SW wheelchair is calculated from SW Seaty + 30 mm.
For Seaty seat cushion, the SW wheelchair is calculated from SW Seaty + 40 mm.

Seat width in mm: Seat depth in mm: Back height in mm:

Seaty cover fabrics colours

	Black	Dark blue	Light blue
Seaty cover fabrics colours			

☐ Please select by ticking the relevant boxes☒ Special construction/individual solution o.r. - on request☐ Standard version: If no other selection is made, the standard version will be delivered.**12 Backrest**

CODE	DESCRIPTION
410	Back with push handle  Not in combination with drum brake CODE 706
502	Push handle, mounted on the back tube, progressive height adjustment up to 300 mm
29	Back, +/- 15°, angle-adjustable in 5° increments, incl. push handle CODE 502

Backrest options

CODE	DESCRIPTION
913	Head support, removable, height-, angle-, depth adjustable  Only in conjunction with push handles CODE 502

13 Arm supports and arm pads

*1 = fest verschraubt 2 = hochschwenkbar 3 = abnehmbar 4 = verriegelbar 5 = Armlehne höhenverstellbar 6 = mit Radüberdeckung

CODE	DESCRIPTION	FUNCTIONS
100	Aluminum arm support in frame colour with carbon insert	1,6
748	Aluminium arm support in frame colour with carbon insert, incl. height adjustable arm support  Not in combination with Light pressure brake CODE 595	1,5,6

14 Leg supports and footrests

LLL (mm) 200 210 220 230 240 250 260 270 280 290 300 310 320 330 340 350 360 370 380 390 400 410 420 430 440

A**B****C**

CODE	LLL (mm)	DESCRIPTION	depth	FL
55/128	A	One-piece footrests, can be folded up to the side, adjustable height, depth and angle, for short lower leg lengths  *Nur i.V. mit MIDI-Rahmenform CODE 351	200 mm	MIDI
55/128	B	One-piece footrest, flip-up to the side, height-, depth- and angle-adjustable for long lower leg length  only in combination with Maxi frame CODE 352	200 mm	MAXI
55/762	C	One-piece footrests, can be folded up to the side, adjustable height, depth and angle for long lower leg lengths  only in combination with Maxi frame CODE 352	200 mm	MAXI

☐ Please select by ticking the relevant boxes☒ Special construction/individual solution o.r. - on request☐ Standard version: If no other selection is made, the standard version will be delivered.**Footrests options**

CODE	DESCRIPTION
359	Calf belt
664	Footrest locking mechanism
822	Shoe fastening strap (pair)
823	Heal ledge

15 Frame colours

CODE	DESCRIPTION
4922	Metallic green
4066	Tornado red
206	Matt black
224	Blue-Metallic
189	Violetstar

Seat and back strap colours

CODE	DESCRIPTION
235	Textil black
292	Mash, breathable , black

16 Hand and spoke guard

CODE	DESCRIPTION
489	Transparent
4974	Transparent with flash lettering

☐ Please select by ticking the relevant boxes☒ Special construction/individual solution o.r. - on request☐ Standard version: If no other selection is made, the standard version will be delivered.**17 Support castors**

CODE	DESCRIPTION
728	Anti-Tip, 1 pair, swivelling (recommended)  Not in combination with step bar CODE 309
729	1 anti-tip, swivelling, mounted left
730	1 anti-tip, swivelling, mounted right

18 Pedal tubes

CODE	DESCRIPTION
309	step bar, 1 pc.  not in combination with anti-tip wheels CODE 728

19 Options

CODE	DESCRIPTION
679	Folding lock
833	Safety belt
970	Crutch holder  Only in combination with step bar CODE 309
819	Reflectors
929	Plastic therapy table, transparent, adjustable  Only in combination with side guard, CODE 748
Art.-No.: 205542100 - Hand compressor	

Xtrend Options

Item	DESCRIPTION	HMV
261519300	X-TREME Backpack	
261519600	Wheel pouch „BLACK WHEEL CASE“ fitting for max. 2 x 24" wheels resp. each 1 x 25" or 26" wheel	18.99.99.0999
206964600	3M Spoke reflectors	18.99.99.0999

USER DATA

First name

Name

Street

ZIP CODE

City

Country

Birthday

Diagnosis 1

Diagnosis 2

Tel.

Mobil

E-mail

Order number

Health insurance fund / cost unit

Specialist trade Contact person/phone.

Supply specialist MEYRA

Approval info from week

ANATOMICAL DATA (IN MM)

1) Seat depth

2) Seat width

3) Chest width

4) Chest depth

5) Elbow height

6) Armpit height

7) Back height


8) Head height

9) Forearm length

10) LLL

Body height

Weight (kg)



Remarks

I accept the Terms and Conditions of Meyra Distribution GmbH (valid as of January 2023)

<https://www.meyra.com/gtc/>

Date

City

Signature