

Ride System

7.000





IChair Orbit



Netti 4U CE Plus



TA IQ FWD

MEYRA

- ICHAIR SERIES
- ACTIVE SERIES

NETTI

- NETTI 4U FAMILY
- NETTI DYNAMIC FAMILY
- NETTI III FAMILY

TA SERVICE

ORDER

COST ESTIMATE

CUSTOM DESIGN

Please fax the completed order form to:

05733 922 9311

Customer service 05733 922 311

Billing address / Customer ref. no.:

Delivery address:

Tax-ID

Consignment / Comments:

Order quantity:

MEYRA



Hints

All prices are subject to the statutory value added tax!
Valid from 01.01.2024 - 31.12.2024.

Our Terms and Conditions as stated at www.meyra.de/AGB shall apply
Errors, misprints and changes reserved.

Use our K.I.S.S.S. for orders and configurations at www.kisss-by-meyra.de

Please select by ticking the relevant boxes

Special construction/individual solution o.r. - on request

Standard version: If no other selection is made, the standard version will be delivered.

Ride Java Back

Ride System	Type	Width inside dimension						
		330 mm	340 mm	370 mm	390 mm	420 mm	440 mm	470 mm
Java Regular (height 360 mm)	Regular (Depth 80 mm)	(7552)	(7553)	(7554)	(7555)	(7556)	(7557)	(7558)
	Deep (Depth 150 mm)	(7559)	(7560)	(7561)	(7562)	(7563)	(7564)	(7565)
Java Tall (height 460 mm)	Regular (Depth 80 mm)	(7566)	(7567)	(7568)	(7569)	(7570)	(7571)	(7572)
	Deep (Depth 150 mm)	(7573)	(7574)	(7575)	(7576)	(7577)	(7578)	(7579)
Java Grande (height 560 mm)	Regular (Depth 80 mm)	(7580)	(7581)	(7582)	(7583)	(7584)	(7585)	(7586)
	Deep (Depth 150 mm)	(7587)	(7588)	(7589)	(7590)	(7591)	(7592)	(7593)

- ⚠** Wheelchair seat width 350 mm possible internal dimensions 330 mm
- Wheelchair seat width 400 mm possible inner dimension widths 330 mm, 340 mm and 370 mm
- Wheelchair seat width 450 mm possible internal dimension widths 340 mm, 370 mm, 390 mm and 420 mm.
- Wheelchair seat width 500 mm possible internal dimensions 390 mm, 420 mm, 440 mm and 470 mm

Ride equipment

CODE	DESCRIPTION
7734	Additional pelvic wedges (pair) ⚠ Ensure extra rear side pelvic support
7735	Additional Flexa-Just stays (pair)
7724	Fold-down push handle adapter (Quickie)
7736	Ride Privacy flap Small (back width 360 mm)
7737	Ride Privacy flap Medium (back width 380-430)
7722	Ride Privacy flap Large (back width 460-510)

Please select by ticking the relevant boxes

Special construction/individual solution o.r. - on request

Standard version: If no other selection is made, the standard version will be delivered.

Ride lateral torso supports (left)

Pelottes	Flat (mm)			Curved (mm)		
	S (H 75, W 125)	M (H 100, W 150)	L (H 125, W 150)	S (H 75, W 125)	M (H 100, W 150)	L (H 125, W 150)
fixed up to IDW 330 mm	(7682)	(7683)	(7684)	(7685)	(7686)	(7687)
fixed up to IDW 340 mm	(7688)	(7689)	(7690)	(7691)	(7692)	(7693)
swivelling up to IDW 330 mm	(7694)	(7696)	(7698)	(7700)	(7702)	(7704)
swivelling up to IDW 340 mm	(7706)	(7708)	(7710)	(7712)	(7714)	(7716)

 only i.C. with Ride Java Back

Ride lateral torso supports (right)

Pelottes	Flat (mm)			Curved (mm)		
	S (H 75, W 125)	M (H 100, W 150)	L (H 125, W 150)	S (H 75, W 125)	M (H 100, W 150)	L (H 125, W 150)
fixed up to IDW 330 mm	(7738)	(7739)	(7740)	(7741)	(7726)	(7727)
fixed up to IDW 340 mm	(7728)	(7729)	(7730)	(7731)	(7732)	(7733)
swivelling up to IDW 330 mm	(7695)	(7697)	(7699)	(7701)	(7703)	(7705)
swivelling up to IDW 340 mm	(7707)	(7709)	(7711)	(7713)	(7715)	(7717)

 only i.C. with Ride Java Back

Version No.: #1104 - 07.07.2023

Please select by ticking the relevant boxes

Special construction/individual solution o.r. - on request

Standard version: If no other selection is made, the standard version will be delivered.

Ride Forward

Ride Forward (Seat depth)

Seat width (SW)	230 mm	250 mm	280 mm	300 mm	330 mm	360 mm	380 mm	410 mm	430 mm	460 mm	480 mm	510 mm					
250 mm		(7594)	(7500)	(7501)													
280 mm				(7595)		(7596)		(7597)									
300 mm			(7598)	(7502)	(7599)	(7503)	(7600)	(7504)									
330 mm						(7601)	(7602)										
360 mm					(7603)	(7505)	(7604)	(7506)	(7605)	(7507)							
380 mm						(7606)	(7508)	(7607)	(7509)	(7608)							
410 mm								(7609)	(7510)	(7511)	(7512)	(7610)	(7513)				
430 mm									(7611)	(7514)	(7515)						
460 mm									(7612)	(7516)	(7613)	(7517)	(7614)	(7518)			
480 mm										(7615)	(7616)		(7617)				
510 mm												(7618)	(7519)	(7619)	(7520)	(7620)	(7521)

Version No.: #1104 - 07.07.2023

Please select by ticking the relevant boxes

Special construction/individual solution o.r. - on request

Standard version: If no other selection is made, the standard version will be delivered.

Ride Java cushion

Ride Java cushion (Seat depth)

Seat width (SW)	300 mm	330 mm	360 mm	380 mm	410 mm	430 mm	460 mm	480 mm	510 mm
300 mm	(7636)	(7637)	(7638)	(7639)	(7640)				
330 mm	(7641)	(7642)	(7643)	(7644)	(7645)				
360 mm	(7646)	(7647)	(7522)	(7648)	(7523)		(7649)		
380 mm			(7650)	(7524)	(7651)	(7525)	(7652)	(7653)	(7654)
410 mm			(7655)	(7656)	(7526)	(7657)	(7527)	(7658)	(7528)
430 mm			(7659)	(7660)	(7661)	(7529)	(7662)	(7663)	(7664)
460 mm			(7665)	(7666)	(7530)	(7667)	(7531)	(7668)	(7532)
480 mm			(7669)	(7670)	(7671)	(7672)	(7673)	(7674)	(7675)
510 mm			(7676)	(7677)	(7533)	(7678)	(7534)	(7679)	(7535)

Please select by ticking the relevant boxes

Special construction/individual solution o.r. - on request

Standard version: If no other selection is made, the standard version will be delivered.

Ride Java Seat / Ride Forward equipment

CODE	DESCRIPTION
7632	Ride CAM Wedge kit  only i.C. with Ride Java Seat or Ride Forward
7633	Reticulated Foam Well Insert Kit  only i.C. with Ride Java Seat
7634	Lateral Thigh Support Wedge 30 mm (pair)  only i.C. with Ride Java Seat
7635	Medial Thigh Support Insert 30 mm (pair)  only i.C. with Ride Java Seat

Ride Orientation Wedge

	cushion width / seat width			
Orientation Wedge	360 / 350 mm	380-410 / 400 mm	430-460 / 450 mm	480-510 / 500 mm
30 mm				

 only i.C. with Ride Java Seat or Ride Forward

Ride Forward CAM Wedge Kit

	cushion width / seat width			
Ride CAM Wedge Kit	360 / 350 mm	410 / 400 mm	460 / 450 mm	510 / 500 mm
Wedges 2 Pc.				

 only i.C. with Ride Forward

Ride Java Seat / Ride Forward leg length discrepancies

	leg length discrepancies			
Modification	-30 mm	-50 mm	-80 mm	-100 mm
left				
right				

USER DATA

First name

Name

Street

ZIP CODE

City

Country

Birthday

Diagnosis 1

Diagnosis 2

Tel.

Mobil

E-mail

Order number

Health insurance fund / cost unit

Specialist trade Contact person/phone.

Supply specialist MEYRA

Approval info from week

ANATOMICAL DATA (IN MM)

1) Seat depth

2) Seat width

3) Chest width

4) Chest depth

5) Elbow height

6) Armpit height

7) Back height


8) Head height

9) Forearm length

10) LLL

Body height

Weight (kg)



Remarks

I accept the Terms and Conditions of Meyra Distribution GmbH (valid as of January 2023)

<https://www.meyra.com/gtc/>

Date

City

Signature