

EUROCHAIR2 XXL

2.850 Stock version



Allowed user weight

200 kg



Suitable for passenger transport

Tested to ISO 7176-19



ORDER

COST ESTIMATE

CUSTOM DESIGN

Please send the order form by e-mail to:

info@meyragroup.com

Customer service: +49 571 93292 555

Billing address / Customer ref. no.:

Delivery address:

Tax-ID

Consignment / Comments:

MEYRA



Standard configuration

- Rear wheels 24"
- Handrim aluminium
- Handrim distance narrow
- PU-tyres, puncture safe
- Castor wheel 142 mm solid rubber Soft
- Backrest with lumbar support
- Side panel height-adjustable
- Armrests depth-adjustable
- Leg supports, removable and swivelling
- Seat depth 430 mm (adjustable)
- Back height 420 mm (adjustable)
- Seat and back strap Polyester, black
- Frame colour Silverline
- Full-length footrest, angle-adjustable
- Double cross brace
- Adjustable back
- Transverse push bar
- Anti tip wheels removable
- Crutch holder
- Reflectors
- Safety belt



Allowed user weight

200 kg



Suitable for passenger transport

Tested to ISO 7176-19



Hints

All prices are subject to the statutory value added tax!

Our Terms and Conditions as stated at www.meyra.de/AGB shall apply

When transported in public transport (e.g. train), the dimensions of the wheelchair may be higher than the guide values of the transport company. Please inquire in advance.

Maximum user weight when using additional drives: 140 kg.

Valid from 01.01.2026 - 31.12.2026.

Errors, misprints and changes reserved.

Use our K.I.S.S.S. for orders and configurations at www.kisss-by-meyra.de

You avoid queries and incorrect orders thanks to the buildability check

**Technical specifications**

Seat widths in mm	500/530/580/650
Width ready to drive in mm from	*Sitzbreite + 200
Width folded in mm from	310
Seat depth in mm	430/460/490
Seat height front/rear in mm	*variabel 445 - 505 / 415 - 525
Overall height in mm	930
Back support height in mm	400/420/440
Arm support height in mm	210 - 260
Length with footrest in mm	1070
Length without footrests in mm	840
User weight	200 kg
Empty weight from	19 kg
Permitted total weight in kg	*225 kg
Transport weight	12 kg
Rear wheel	*610 mm (24 Zoll)
Brake test according to STANDARD	7°

Please enter your quantities in the boxes

01 Pressure brake, frame colour silverline

Item	SW	DESCRIPTION	Ø
9285025	500 mm	Pressure brake, frame colour silverline	24"
9285026	530 mm	Pressure brake, frame colour silverline	24"
9285027	580 mm	Pressure brake, frame colour silverline	24"
9285028	650 mm	Pressure brake, frame colour silverline	24"

02 Drum brake, frame colour silverline

Item	SW	DESCRIPTION	Ø
9285031	500 mm	Drum brake, frame colour silverline	24"
9285032	530 mm	Drum brake, frame colour silverline	24"
9285033	580 mm	Drum brake, frame colour silverline	24"
9285034	650 mm	Drum brake, frame colour silverline	24"

Retrofit sets

The following retrofit kits are enclosed and must be fitted by a specialist dealer!
For more information on fitting, see the service instructions!

Please enter your quantities in the boxes

03 *Seat Cushions*

Item	SW-SD-CH (mm)	DESCRIPTION
1046382	500-430-30	Seat cushion black
1046381	500-460-30	Seat cushion black
1046380	500-490-30	Seat cushion black
1049054	530-430-30	Seat cushion black
1049055	530-460-30	Seat cushion black
1049056	530-490-30	Seat cushion black
1062204	580-430-30	Seat cushion black
1062206	580-460-30	Seat cushion black
1064678	580-490-30	Seat cushion black
1040765	650-430-30	Seat cushion black
1040766	650-460-30	Seat cushion black
1040767	650-490-30	Seat cushion black

04 *Other accessories*

Item	DESCRIPTION
1090833	Brake lever extension attachable, pair
1096772	Hand and spoke guard transparent